

1-1-2016

The global transcriptional response of a raw starch-degrading amyolytic *Saccharomyces cerevisiae* strain to oxygen limitation and genetic modification

CEYDA KASAVI

SERPİL ERASLAN

EBRU TOKSOY ÖNER

BETÜL KIRDAR

Follow this and additional works at: <https://journals.tubitak.gov.tr/biology>



Part of the [Biology Commons](#)

Recommended Citation

KASAVI, CEYDA; ERASLAN, SERPİL; ÖNER, EBRU TOKSOY; and KIRDAR, BETÜL (2016) "The global transcriptional response of a raw starch-degrading amyolytic *Saccharomyces cerevisiae* strain to oxygen limitation and genetic modification," *Turkish Journal of Biology*. Vol. 40: No. 3, Article 17. <https://doi.org/10.3906/biy-1505-6>

Available at: <https://journals.tubitak.gov.tr/biology/vol40/iss3/17>

This Article is brought to you for free and open access by TÜBİTAK Academic Journals. It has been accepted for inclusion in Turkish Journal of Biology by an authorized editor of TÜBİTAK Academic Journals. For more information, please contact academic.publications@tubitak.gov.tr.

The global transcriptional response of a raw starch-degrading amylolytic *Saccharomyces cerevisiae* strain to oxygen limitation and genetic modification

Ceyda KASAVI^{1*}, Serpil ERASLAN¹, Ebru TOKSOY ÖNER², Betül KIRDAR¹

¹Department of Chemical Engineering, Boğaziçi University, İstanbul, Turkey

²Department of Bioengineering, Marmara University, İstanbul, Turkey

Received: 04.05.2015 • Accepted/Published Online: 13.09.2015 • Final Version: 18.05.2016

Abstract: This study investigates the global transcriptional response of *Saccharomyces cerevisiae* strain WTPB-G, which was developed by transforming laboratory strain FY23 with the pPB-G plasmid expressing the *Bacillus subtilis* α -amylase and the *Aspergillus awamori* glucoamylase as a fusion protein. Genome-wide analysis of transcript levels revealed the cellular mechanisms and the related pathways that were affected by the genetic modification, which conferred the ability of starch utilization to wild-type cells by the introduction of a plasmid-harboring gene encoding the amylolytic activity. Fermentations were carried out in media containing glucose as the only carbon source under aerated and microaerated conditions, and the effect of aeration was also investigated in terms of fermentation properties and transcriptional response. The genome-wide gene expression analysis highlighted that plasmid replication induced cell wall organization and biogenesis, and repressed approximately 20% of the genes involved in ribosome biogenesis and RNA processing. Although oxygen limitation was found to be less effective in the transcriptional changes, a link between oxygen limitation and genes involved in oxidation-reduction, pH reduction, phosphate-containing compounds, and lipid and fatty acid processes was observed.

Key words: Amylolytic yeast, *Saccharomyces cerevisiae*, transcriptome, bioethanol

1. Introduction

Depletion of fossil fuels and environmental problems make biomass an attractive source of renewable energy (Yamada et al., 2011). One-step conversion of biomass to ethanol is considered the most cost-effective route to renewable fuels (Elkins et al., 2010). Besides the fermentation substrate, the selection of an appropriate production organism is also important for the economic viability of fuel ethanol. *Saccharomyces cerevisiae* is a major microbial species that has been exploited for ethanol production due to its high fermentation rate and ethanol tolerance (Choi et al., 2009; Inderwildi and King, 2009; Kim et al., 2010). After cellulose, starch is the second most abundant plant polysaccharide and hence an important renewable resource for bioethanol production.

Starch is a biopolymer and is defined as a homopolymer consisting of only one monomer, D-glucose. These D-glucose structures are linked together via α -1,4 and α -1,6 glycosidic linkages. The α -1,4 linkages produce linear chains that primarily comprise molecules called amylose, whereas the α -1,6 linkages serve as branching points to produce branched chain molecules called amylopectin.

* Correspondence: ceydakasavi@gmail.com

Amylose forms a minor part (20%–30%) of starch and amylopectin forms the major part (70%–80%) (Yamada et al., 2009). In order to produce ethanol from starch, it is necessary to break down the chains of this carbohydrate into six carbon sugars, which can be converted into ethanol by yeasts (Gray et al., 2006; Bai et al., 2008; Balat et al., 2008). The degradation of raw starch into glucose is a multistep enzymatic process, which involves its gelatinization by cooking and liquefaction by α -amylase, followed by saccharification to glucose by glucoamylase (Wong et al., 2007; Favaro et al., 2010). The starch-based bioethanol industry has been commercially viable for about 30 years and corn and wheat are the most utilized sources of starch employed for ethanol production (Gray et al., 2006; Balat et al., 2008; Goyal et al., 2008).

Hydrolyzation of starch is catalyzed by α -amylase and glucoamylase. At the first step, a thermostable α -amylase enzyme is used to produce soluble dextrans by hydrolyzing α -1,4 bonds. In the saccharification step, glucoamylase is used to convert the liquefied starch into C6 sugars (Bothast and Schlicher, 2005; Sánchez and Cardona, 2008), and then, in the fermentation step, C6 sugars are converted

into ethanol (Toksoy Öner et al., 2005). When starch is used as a raw material, the amylases are strongly inhibited by hydrolysis products such as glucose. This problem can be overcome by a simultaneous saccharification and fermentation process, which combines enzymatic hydrolysis with fermentation (Sánchez and Cardona, 2008; Shen et al., 2008).

S. cerevisiae can ferment certain mono- and disaccharides, such as glucose, fructose, maltose, and sucrose, but it lacks the ability to utilize starch and hence to synthesize and secrete necessary amylolytic enzymes that are required for the bioconversion of starch to ethanol. Therefore, consolidated bioprocessing of starchy materials to bioethanol by *S. cerevisiae* has required significant strain improvement efforts to introduce this ability to *S. cerevisiae* strains (Favaro et al., 2010). A plasmid-based system, WTPB-G (Toksoy Öner et al., 2005), was developed by transforming standard laboratory strain FY23 with the pPB-G plasmid (de Moraes et al., 1995) that contains the *Bacillus subtilis* α -amylase and the *Aspergillus awamori* glucoamylase coding sequences, expressed under the control of the constitutive PGK1 promoter as an excreted bifunctional fusion protein (Toksoy Öner et al., 2005). Although significant improvements were thereby achieved with the amylolytic *S. cerevisiae* strain WTPB-G in ethanol yield from soluble starch by optimizing fermentation conditions, a time-dependent loss of amylolytic activity was observed (Toksoy Öner, 2006).

The aim of this study is to investigate the effect caused in a wild-type strain by the presence of an extrachromosomal self-replicating element in the form of a recombinant multicopy plasmid, which conferred the ability of starch utilization to wild-type cells. For this purpose, the fermentation performances of wild-type FY23 and the plasmid-bearing strain WTPB-G were comparatively examined in batch cultures, in which the cultivation temperature and pH were controlled under aerated and microaerated conditions. Fermentations were carried out in media containing glucose as the sole carbon source. The investigation of the genome-wide gene expression profiles revealed that the presence of a plasmid encoding a fusion protein caused changes in the expression levels of genes. These changes were associated with cell wall biogenesis, ribosome biogenesis, and RNA processing, whereas oxygen limitation resulted in the significant expression of genes involved in protein modification, respiration, and energy mechanisms.

2. Materials and methods

2.1. Strains and growth media

The *S. cerevisiae* WTPB-G strain (Toksoy Öner et al., 2005), generated by transforming the parental haploid FY23 strain with the pPB-G plasmid (de Moraes et al.,

1995) that contains *B. subtilis* α -amylase and *A. awamori* glucoamylase genes expressed under the control of the constitutive PGK1 promoter as an excreted bifunctional fusion protein, was used in this study.

S. cerevisiae strains were kept in glycerol stock solutions at -80°C . Frozen glycerol cultures were used by streaking on selective yeast minimal media (YMM; 20 g L⁻¹ D-glucose, 6.7 g L⁻¹ yeast nitrogen base without amino acids, 0.1 g L⁻¹ tryptophan, 0.1 g L⁻¹ uracil) agar plates for the preparation of master plates. Single colonies formed at 30 °C were transferred to YPDS (4 g L⁻¹ D-glucose, 20 g L⁻¹ peptone, 10 g L⁻¹ yeast extract, 10 g L⁻¹ soluble starch) and YMM plates and incubated at 30 °C to select for amylolytic activity. YPDS plates were stained with iodine vapor until the formation of large visible zones around the colonies, indicating the utilization of starch. Colonies with larger haloes were picked from replica YMM plates and used for inoculum preparation. Agar plates were prepared by adding 18 g L⁻¹ agar to the media.

Precultures were inoculated with a single colony of cells taken from YMM agar plates and incubated in YMM medium at 30 °C and 180 rpm.

2.2. Cultivation conditions and sampling

For batch bioreactor cultivations, cells were cultivated in fully controlled 2-L B-Braun BIostat B Plus fermenters with a working volume of 1.5 L in YMM medium containing glucose as the sole carbon source. The temperature was kept constant at 30 °C, and agitation was set to 400 rpm at all times throughout the fermentation. pH was kept constant at 5.6 by controlling with 0.5 M NaOH and HCl. The dissolved oxygen (DO) saturation was preserved above 90% throughout the experiment via a constant flow of air at 0.75 L/min in aeration-controlled cultivations. To provide microaerated conditions, cultivations were initially brought to a DO saturation of 100% and air supply was turned off throughout the fermentation. Optical densities (ODs) were monitored by spectrophotometric measurements at 600 nm wavelength until a steady state was reached. All experiments were carried out in duplicate.

Sampling was carried out during the exponential phase of growth for the determination of μ_{max} , extracellular glucose, and ethanol concentrations. Confidence intervals of 95% were provided for μ_{max} . Extracellular metabolite concentrations were determined by using enzymatic analysis kits (Sigma) as described by the manufacturer. Samples from the steady-state culture were used to gravimetrically determine the dry cell weight (DCW) of cultures. Cells were first recovered from 1 mL of culture samples through centrifugation, then washed with distilled water three times and dried at 70 °C until constant weight was achieved. Reported DCW values are the average of five biological and two technical replicates for each data point. For the transcriptome analysis, samples were taken

at the midexponential phase of growth ($OD_{600} \approx 0.7-0.9$), immediately frozen in liquid nitrogen, and stored at -80°C until RNA isolation.

2.3. Determination of amylase activity

Protein purification was performed with culture supernatants diluted with two volumes of ice-cold acetone and centrifuged at 10,000 rpm for 20 min at 4°C to recover extracellular precipitates (Biol et al., 1998). To assay for α -amylase activity, pellets were dissolved in 50 mM NaAc buffer (pH 5.9), and 0.5 g of soluble starch was added to 100 mL of boiling 50 mM NaAc buffer (pH 5.9). Appropriately diluted enzyme solutions of 100 μL were incubated with 500 μL of starch solution at 40°C for 10 min and then 200 μL of this reaction mix was mixed with 5 mL of iodine solution (10 mM KI and 2 mM I_2). Degradation of starch was measured at 620 nm against 200 μL of water in 5 mL of iodine solution as a blank. One unit of α -amylase activity was defined as the quantity of enzyme required to hydrolyze 0.1 mg of starch in 10 min at 40°C .

For the glucoamylase activity assay, pellets were dissolved in 50 mM NaAc buffer (pH 4.5) and 0.5 g of soluble starch was added to 100 mL of boiling 50 mM NaAc buffer (pH 4.5). Afterwards, 50 μL of enzyme solution was mixed with 500 μL of starch solution and incubated at 40°C for 10 min. An aliquot (200 μL) of this reaction mix was used to assay for glucose. Glucose concentration was determined using enzymatic analysis kits. One unit of glucoamylase activity was defined as the amount of enzyme that released 1 mM of glucose per minute from starch.

2.4. RNA isolation and microarray analysis

RNA isolation was carried out in a robotic workstation, QIAcube (QIAGEN, USA), using the enzymatic lysis protocol as described by the QIAGEN RNeasy Mini Kit (Cat. No. 74106). The quality and quantity of the isolated RNA were checked via spectrophotometric analysis using a UV-Vis spectrophotometer (NanoDrop ND-1000, Thermo Fisher Scientific Inc., USA). RNA samples were subjected to a second quality check step before being used in microarray analysis. RNA integrity number (RIN) values were checked using a microfluidics-based platform (Bioanalyzer 2100, Agilent Technologies, USA) with an RNA 6000 Nano Kit (Agilent Technologies, USA) and samples with RIN values of 7–10 were processed.

First-strand cDNA was synthesized and then converted into double-stranded DNA initially from 100 ng of total RNA using the GeneChip 3' IVT Express Kit (Affymetrix Inc., USA). This double-stranded cDNA was used as a template for in vitro transcription and synthesis of biotin-labeled aRNA. The final product was purified and quantified using the NanoDrop spectrophotometer before fragmentation. The purification and fragmentation steps were carried out using GeneChip reagents. Fragmented

aRNA was evaluated using the Agilent 2100 Bioanalyzer (Agilent Technologies, Germany). Affymetrix Yeast 2.0 arrays were prepared for hybridization using the reagents supplied in the GeneChip Hybridization, Wash, and Stain Kit. A total of 5 μg of aRNA was loaded onto 169 format arrays and hybridized for 16 h. The chips were then loaded into a fluidics station for washing and staining using the Affymetrix Command Console 3.0.1 Fluidics Control Module with Mini Euk 2v3 protocol. Finally, the chips were loaded onto the Affymetrix GeneChip Scanner 3000. All applications were performed as described in the Affymetrix GeneChip Expression Analysis Technical Manual. The microarray data from this study were submitted to ArrayExpress at the European Bioinformatics Institute under accession number [E-MTAB-3545], in compliance with MIAME guidelines.

2.5. Microarray data acquisition and analysis

For the analysis of transcriptomics data, cell files were normalized via quantile normalization using RMA (Bolstad et al., 2003) as implemented in the affy package (Gautier et al., 2004) of the R/Bioconductor suite of tools (Gentleman et al., 2004).

The hierarchical clustering of the conditions was carried out via the Multi Experiment Viewer (MeV) (Saeed et al., 2006), with the distance and the linkage metric selected as the Pearson correlation and the average linkage, respectively.

Significantly expressed genes were identified from normalized log-expression values using two-way analysis of variance (ANOVA) implemented in MeV, and a 0.001 P-value threshold was maintained. The two-way ANOVA revealed the genes that were significantly expressed in response to the presence of the recombinant vector and the constitutive expression of the amylolytic genes on that plasmid and the aeration. The genes that were affected by the interactive effect of the plasmid presence and aeration were identified as the genes responsive to the changes in both factors at the same time. These statistically significant genes were used as inputs for gene set enrichment analysis based on Gene Ontology (GO) annotations. All GO analyses were performed via the Generic GO Term Finder (Boyle et al., 2004) using a *Saccharomyces* Genome Database filter, with a P-value cut-off of 0.01.

2.6. Reporter features analysis

The regulatory pathways that were affected by the presence of plasmid and oxygen limitation were identified by Reporter Features analysis (Patil and Nielsen, 2005; Oliveira et al., 2008), implemented in the BioMet Toolbox (Cvijovic et al., 2010). The Reporter Feature algorithm was used for the integration of regulome with transcriptome. Transcription factors (TFs) in the consensus list described in the YeastRACT database (Teixeira et al., 2013) were considered for the construction of a regulatory network

in yeast. The yeast regulatory network was constructed by extracting the TF–protein interactions with direct evidence in the Yeastract database (Cankorur-Cetinkaya et al., 2013; Kasavi et al., 2014). A P-value threshold of 0.01 was maintained to determine the Reporter TFs.

3. Results

3.1. Growth characteristics of batch fermentations

The growth characteristics of the batch cultures were investigated during the exponential and stationary phases of growth. The fermentation performances of the plasmid-bearing strain WTPB-G, together with the wild-type strain FY23, grown on YMM, were investigated and compared under both microaerated and aerated conditions (Figure 1). Maximum biomass, ethanol, and glycerol concentrations reached by the cultures, as well as their glucose utilization rates and maximum specific growth rates, were measured (Table 1).

Under aerated conditions, both strains reached higher biomass concentrations. Aeration had a more profound effect on the growth properties of the WTPB-G strain than the wild-type strain. Oxygen limitation caused a 21% and 34% decrease in biomass concentrations of FY23 and WTPB-G cultures, respectively. A similar effect was also observed in the μ_{\max} values of both cultures. Furthermore, oxygen limitation caused an approximately 3-fold increase in the glycerol concentrations and yields of both strains.

At the end of each fermentation, carried out under aerated and microaerated conditions with the WTPB-G strain, enzymes in the cell-free media were precipitated with acetone and crude enzyme solutions were subjected to amylase activity assays. The α -amylase activities were 20 U/mL culture (9434 U/g DCW) and 22 U/mL culture (8178 U/g DCW), and glucoamylase activities were 227




Figure 1. Growth profiles of FY23 (□, ■) and WTPB-G (▲, △) strains under aerated (filled symbols) and microaerated (open symbols) conditions.

U/L culture (107 U/g DCW) and 278 U/L culture (103 U/g DCW) under microaerated and aerated conditions, respectively.

3.2. Global transcriptional response of *S. cerevisiae* strains

In order to provide further insight into the molecular mechanisms affected by the presence of plasmid and the secretion of fusion proteins, the genome-wide transcriptional responses of the recombinant amylolytic *S. cerevisiae* strain WTPB-G and the reference strain were comparatively investigated. Since higher ethanol concentrations were reached by WTPB-G and its parent strain FY23 cultures under aerated conditions when compared to microaerated conditions, the mechanisms affected by aeration were also investigated. The two parameters of interest were strain at two levels, reference strains FY23 and WTPB-G, and aeration at two levels, aerated and microaerated conditions. A 2×2 factorial design enabled the investigation of the effect of these factors

Table 1. Fermentation parameters of *S. cerevisiae* strains grown in media containing glucose as the sole carbon source.

| Parameter | Aerated | | Microaerated | |
|--|---------------|---------------|---------------|---------------|
| | FY23 | WTPB-G | FY23 | WTPB-G |
| Strains | FY23 | WTPB-G | FY23 | WTPB-G |
| Biomass (g L ⁻¹) | 2.59 ± 0.13 | 2.69 ± 0.11 | 2.26 ± 0.12 | 2.12 ± 0.09 |
| μ_{\max} (h ⁻¹) | 0.270 ± 0.011 | 0.214 ± 0.001 | 0.236 ± 0.004 | 0.203 ± 0.009 |
| Max. ethanol conc. (g L ⁻¹) | 4.93 ± 0.25 | 4.79 ± 0.22 | 4.26 ± 0.31 | 3.91 ± 0.15 |
| Glucose utilized (g L ⁻¹) | 17.61 ± 0.54 | 17.58 ± 0.62 | 18.52 ± 0.71 | 18.14 ± 0.45 |
| Y_{ps} (g ethanol g ⁻¹ glucose) | 0.28 | 0.27 | 0.23 | 0.22 |
| Y_{px} (g ethanol g ⁻¹ biomass) | 1.90 | 1.78 | 1.89 | 1.85 |
| Max. glycerol conc. (g L ⁻¹) | 0.085 ± 0.012 | 0.092 ± 0.021 | 0.152 ± 0.009 | 0.174 ± 0.018 |
| $Y_{gly/s}$ (g glycerol g ⁻¹ glucose) | 0.003 | 0.003 | 0.008 | 0.010 |

on the transcriptional response of yeast cells. The samples collected at the midexponential phase of growth were used for transcriptomic analysis. The genes showing significant changes in their expression levels were identified from the normalized log-expression values via two-way ANOVA. Two-way ANOVA assessed the transcriptional changes according to three factors: effect of the recombinant vector and the constitutive expression of the amylolytic genes on that plasmid, effect of aeration, and interaction effect of these two factors.

The hierarchical clustering of conditions, using normalized microarray data, revealed strains as the key determinant for the arrangement of different clusters. The analysis resulted in the clustering of the conditions into two major clusters (Figure 2). The transcript profiles of wild-type cultures were clustered together under microaerated and aerated conditions, whereas the transcript profiles of WTPB-G cultures under microaerated and aerated conditions formed a different cluster. Moreover, the replicate fermentations were clustered together for each strain under similar conditions.

3.3. Identification of significantly expressed genes

The genes showing significant changes ($P < 0.001$) in their expression levels were identified via two-way ANOVA. When WTPB-G was compared to the reference strain, a total of 950 (524 up, 426 down) genes displayed significantly altered expression levels in response to the presence of a plasmid synthesizing a bifunctional protein, which may catalyze the one-step conversion of starch to ethanol (Table S1). Genes whose expression levels were significantly up- and downregulated under oxygen limitation were screened using microarray data obtained from samples collected at the midexponential phase of growth and 579 (309 up, 271 down) genes showed a statistically significant difference in their expression

levels when the microaerated condition was compared to the aerated condition (Table S2). Moreover, 72 genes were significantly expressed in response to the interactive effect of the presence of a plasmid synthesizing a bifunctional protein, which may catalyze the one-step conversion of starch to ethanol, and oxygen limitation (Table S3).

Genes whose expression levels were significantly changed in response to the presence of the recombinant vector and the constitutive expression of the amylolytic genes on that plasmid were defined as strain-significant genes, and genes whose expression levels were significantly changed in response to oxygen limitation were defined as aeration-significant genes. Significantly enriched categories of the up- and downregulated strain-significant and aeration-significant genes were analyzed using Amigo.

3.4. Transcriptional response to the presence of the recombinant vector and the constitutive expression of the amylolytic genes on the plasmid

In response to the presence of a plasmid synthesizing a bifunctional protein, which may catalyze the one-step conversion of starch to ethanol, the upregulated genes were significantly enriched for cell wall organization and biogenesis (Table S4) and the downregulated genes were significantly enriched for growth-associated processes including ribosome biogenesis and RNA processing (Table S5).

The manual investigation of genes related to DNA replication revealed that 5 genes (*POL1*, *POL2*, *RFA1*, *CDC9*, and *RNH201*), encoding proteins related to DNA replication in *S. cerevisiae*, were downregulated in response to the presence of the recombinant vector and the constitutive expression of the amylolytic genes on that plasmid. *POL1* is an essential gene that encodes the largest subunit of the DNA polymerase (I) alpha and is required for the initiation of DNA replication. *POL2* is also an essential gene, encoding a catalytic subunit of DNA polymerase (II) epsilon, which is a chromosomal DNA replication polymerase that exhibits proofreading exonuclease activity. *POL2* is also involved in DNA synthesis during DNA repair. *RFA1* encodes a subunit of heterotrimeric replication protein A (RPA), which is a highly conserved, single-stranded DNA-binding protein. *RFA1* plays a key role in DNA metabolic pathways such as DNA replication, repair, and recombination. *CDC9*, an essential gene, encodes a DNA ligase found in the nucleus and mitochondria. Cdc9p is an essential enzyme that joins Okazaki fragments during DNA replication, and it also acts in nucleotide excision repair, base excision repair, and recombination. *RNH201* encodes a ribonuclease H2 catalytic subunit that removes RNA primers during Okazaki fragment synthesis. Furthermore, the presence of the plasmid resulted in the upregulation of 42 genes encoding proteins whose abundance increases in response to DNA replication stress.




Figure 2. Hierarchical clustering of experimental conditions using normalized microarray data (M and A represent the microaerated and aerated conditions, respectively).

3.5. Transcriptional response to aeration

Clustering of conditions indicated that aeration caused a less effective change than plasmid harboring on the transcriptional response. The significantly enriched biological processes of aeration-significant genes are provided in Tables S6 and S7.

In response to oxygen limitation, upregulated genes were found to be enriched with various catabolic processes and cellular response to stimulus. The downregulated aeration-significant genes were found to be significantly enriched with nitrogen and organonitrogen compound metabolic and biosynthetic processes, as well as organophosphate and lipid biosynthetic processes. Further investigation of the downregulated genes indicated that a total of 29 genes involved in oxidation-reduction processes, 5 genes involved in pH reduction, 11 genes involved in the cofactor metabolic process, and 8 genes involved in the coenzyme biosynthetic process were downregulated in response to oxygen limitation. Furthermore, oxygen limitation resulted in the downregulation of genes involved in lipid and fatty acid, carbohydrate, and phosphate-containing compound metabolic processes.

3.6. Transcriptional response to the interactive effect of factors

A total of 72 genes were significantly expressed in response to the interactive effect of the presence of a plasmid, synthesizing a bifunctional protein and oxygen limitation and described as an interaction-significant gene. When the aerated condition was compared to the microaerated condition, 32 genes were upregulated and 40 genes were downregulated in the reference strain. Under similar conditions, 25 genes were upregulated and 47 genes were downregulated in WTPB-G. When the significantly expressed genes in WTPB-G in comparison to the reference strain were investigated, 32 genes were

upregulated and 40 genes were downregulated under aerated conditions, and 37 genes were upregulated and 35 were downregulated under microaerated conditions. The number of interaction-significant genes under each condition is presented in Figure 3.

The significantly expressed genes in response to the interactive effect were not found to be significantly enriched with any particular GO biological process term for each group. A total of 14 genes had unknown GO biological process terms. The up- and downregulated genes were analyzed using the Generic GO Term Finder (Boyle et al., 2004) to shed light on the biological processes that these genes were annotated to (Tables S8 and S9). Although all biological processes were included in the supplementary tables, terms that at least four genes annotated to were taken into consideration.

The assessment of the aerated conditions in conjunction with the microaerated conditions revealed the upregulation of genes involved in protein complex biogenesis, Golgi vesicle transport, and lipid metabolic process and the downregulation of genes involved in mitochondrion organization, nucleobase-containing small molecule metabolic process, carbohydrate metabolic process, transmembrane transport, and protein complex biogenesis in WTPB-G strain. The same comparison pointed to the induction of genes associated with mitochondrion organization, lipid metabolic process, and protein complex biogenesis and to the repression of genes associated with transmembrane transport, regulation of organelle organization, and protein complex biogenesis in the reference strain.

The comparison of WTPB-G and the reference strain indicated the presence of genes associated with protein complex biogenesis, Golgi vesicle transport, and a nucleobase-containing small molecule metabolic




Figure 3. Number of genes that were significantly and differentially expressed in response to the interactive effect of plasmid bearing and oxygen limitation in FY23 (as a reference) and WTPB-G strains.

process among the upregulated genes under aerated conditions. Genes related to mitochondrion organization, monocarboxylic acid metabolic process, lipid metabolic process, carbohydrate metabolic process, and transmembrane transport were found to be downregulated under similar conditions. Under microaerated conditions, genes that play a role in protein-complex biogenesis, lipid metabolic process, ion transport, Golgi vesicle transport, mitochondrion organization, nucleobase-containing small molecule metabolic process, and transmembrane transport were upregulated; genes related to carbohydrate metabolic process were downregulated.

3.7. Analysis of regulation of transcriptional response to the presence of a plasmid synthesizing a bifunctional protein and oxygen limitation in genetically engineered *S. cerevisiae* cells

The transcriptional response of the *S. cerevisiae* strain to the presence of pPB-G plasmid and oxygen limitation was analyzed in the context of regulatory networks using Reporter TF Analysis to shed light on the affected regulatory machineries.

Reporter TF analysis identified 3 TFs (Rts2p, Hac1p, and Fkh1p) around which genes were affected in response to the presence of the recombinant vector and the constitutive expression of the amyolytic genes on that plasmid. Rts2p is a basic zinc-finger protein, similar to human and mouse Kin17 proteins, which are chromatin-associated proteins involved in UV response and DNA replication. Hac1p is a basic leucine zipper TF, which regulates the unfolded protein response. The protein abundance of Hac1p increases in response to DNA replication stress. Fkh1p plays a minor role in the expression of G2/M phase genes, negatively regulates transcriptional elongation, and has a positive role in chromatin silencing.

Reporter TF analysis identified 2 TFs (Mot3p and Rox1p) around which genes were affected in response to oxygen limitation. Mot3p is a transcriptional repressor involved in the repression of a subset of hypoxic genes by Rox1p. Rox1p is a repressor of hypoxic genes and mediates the aerobic transcriptional repression of hypoxia-induced genes such as *COX5* and *CYC7*.

4. Discussion

The assessment of the fermentation performance of FY23 and WTPB-G cultures under aerated and microaerated conditions revealed that oxygen limitation led to decreased biomass concentrations and μ_{\max} values for both cultures. *S. cerevisiae* physiology was affected by aeration, which is a significant control factor during alcoholic fermentation. It has been reported that aeration improved the fermentation performance of *S. cerevisiae* (Alfenore et al., 2004; Guimarães et al., 2008; Sanchez-Gonzalez et al., 2009). Additionally, in this study, higher ethanol

concentrations were obtained under aerated conditions with both strains. Furthermore, oxygen limitation resulted in an increase in glycerol concentrations and yields of both strains. This finding was consistent with the formation of glycerol at a much higher yield under anaerobic conditions than under aerobic conditions. Under oxygen-limited conditions, glycerol is formed to modulate NADH and NADPH levels to restore the redox balance in the cell (Costenoble et al., 2000; Alfenore et al., 2004). Under both aerated and microaerated conditions, the WTPB-G strain had a lower specific growth rate than FY23 (0.214 h⁻¹ versus 0.270 h⁻¹ under aerated conditions and 0.203 h⁻¹ versus 0.236 h⁻¹ under microaerated conditions). The maintenance of a plasmid and its expression in a yeast cell impose a metabolic burden and affect the cell's ability to grow (Ow et al., 2006; Karim et al., 2013). Therefore, the presence of the plasmid and the expression of α -amylase and glucoamylase as a fusion protein resulted in reduced growth rate of the WTPB-G strain. At the end of each fermentation carried out under aerated and microaerated conditions with the WTPB-G strain, the amylase activities were also determined. Since fermentations were carried out in media containing only glucose as a carbon source, the α -amylase activities of WTPB-G under both conditions were found to be very low when compared to earlier reports where complex media were used for fermentations. Glucoamylase and α -amylase activities were reported to be within the ranges of 300–9000 U/mL and 700–1200 U/mL, respectively, in media containing 5% starch (Toksoy Öner et al., 2005).

The global transcriptional responses of the recombinant amyolytic *S. cerevisiae* strain WTPB-G and the reference strain were comparatively investigated to identify the molecular mechanisms affected by the presence of the plasmid and the secretion of fusion proteins, as well as oxygen limitation. Two-way ANOVA enabled the assessment of the effect of the presence of the recombinant vector and the constitutive expression of the amyolytic genes on that plasmid, the effect of aeration, and the interaction effect of these two parameters. The hierarchical clustering of conditions based on the expression values showed that the microaerated and aerated conditions were clustered together for both strains. Therefore, the effect of aeration was found to be less determinative on the transcriptional response than the effect of harboring a genetically engineered plasmid, which produces a bifunctional enzyme to catalyze the one-step conversion of starch to ethanol.

In response to the presence of the plasmid and the expression of the amyolytic genes on that plasmid, ribosome biogenesis was found to be repressed. Ribosome biogenesis is an essential cellular process and the inhibition of this process may result in terminated

cell growth, even under optimal growth conditions (Li et al., 2009). The downregulation of genes associated with ribosome biogenesis supported the reduced growth rate of the WTPB-G strain. There are 444 known genes involved in ribosome biogenesis in *S. cerevisiae*, and only 88 were downregulated in the WTPB-G strain. Therefore, the remaining genes enable this yeast to grow under controlled conditions and to produce ethanol. Moreover, protein synthesis is an energy-cost activity in the cell. The downregulation of the genes related to ribosome biogenesis and RNA processing might result in reduced protein synthesis, which is not essential for the cell to grow and help to save energy. Moreover, a total of 5 gene-encoding proteins related to DNA replication in *S. cerevisiae* were repressed, whereas 42 gene-encoding proteins, whose abundance increases in response to DNA replication stress, were induced in response to the presence of the plasmid and the expression of the amyolytic genes on that plasmid. The maintenance of a plasmid and its expression in a yeast cell imposes a metabolic burden and affects the cell's ability to grow (Ow et al., 2006; Karim et al., 2013), which was found to be in accordance with the repression of growth-associated processes in response to the presence of the plasmid and the expression of the amyolytic genes on that plasmid. Since plasmid DNA replicates as chromosomal DNA, plasmid-associated metabolic burden might be the reason for increased DNA replication stress in the WTPB-G strain. Moreover, the inhibitory effect of plasmid burden on growth might result in the repression of DNA synthesis. However, the activation of genes associated with DNA replication stress would preserve genome integrity during DNA replication.

In response to oxygen limitation, genes involved in oxidation-reduction and pH reduction processes, cofactor metabolic process, coenzyme biosynthetic process, lipid and fatty acid metabolic processes, and phosphate-containing compound metabolic process were found to be downregulated. *S. cerevisiae* requires a maintained cellular redox balance in order to sustain metabolism and growth. Redox cofactors participate in biochemical reactions involving oxidation-reduction (Heux et al., 2006). The downregulation of genes related to oxidation-reduction in response to oxygen limitation is consistent

with the decreased growth of both the WTPB-G and reference strain cultures under microaerated conditions. Moreover, the downregulation of oxidation-reduction and coenzyme processes possibly decreases the amount of generated energy in the cells. This might result in the repression of energy-requiring metabolic processes such as the phosphate-containing compound metabolic process and lipid and fatty acid metabolic processes.

The integrative analysis of the regulome and transcriptome revealed the TFs around which genes were affected by the presence of the pPB-G plasmid and the expression of the amyolytic genes on that plasmid and oxygen limitation. Reporter TFs around which genes were affected in response to the presence of the plasmid were found to be associated with DNA replication, which was reported to be important for plasmid stability. Therefore, the existence of TFs involved in DNA replication is consistent with the presence of the self-replicating plasmid. TFs associated with the regulation of hypoxic gene expression were identified as Reporter TFs in response to oxygen limitation. The identification of TFs that regulate the expression of hypoxic genes is in good agreement with the effect of oxygen limitation during fermentation.

In conclusion, investigating the changes of the plasmid-bearing *S. cerevisiae* strain WTPB-G at the transcriptional level provided information on the molecular mechanisms underlying the presence of a plasmid synthesizing a bifunctional protein, which may catalyze the one-step conversion of starch to ethanol. In future studies, the high-level expression of amyolytic enzymes by multicopy integration of their coding sequences into the genome of a wild-type strain should result in stable extracellular amyolytic activities against raw starch substrates, such as agricultural and agroindustrial residues, and enable their conversion into fermentable sugars for ethanol production.

Acknowledgments

The authors gratefully acknowledge the Turkish State Planning Organization (DPT09K120520), the Boğaziçi University Research Fund (Project No. 6530), and TÜBİTAK (Project No. 110M692) for their financial support of this research.

References

- Alfenore S, Cameleyre X, Benbadis L, Bideaux C, Uribelarrea JL, Goma G, Molina-Jouve C, Guillouet SE (2004). Aeration strategy: a need for very high ethanol performance in *Saccharomyces cerevisiae* fed-batch process. *Appl Microbiol Biotechnol* 63: 537-542.
- Bai FW, Anderson WA, Moo-Young M (2008). Ethanol fermentation technologies from sugar and starch feedstocks. *Biotechnol Adv* 26: 89-105.
- Balat M, Balat H, Öz C (2008). Progress in bioethanol processing. *Prog Energy Combust Sci* 34: 551-573.
- Birol G, Önsan Zİ, Kırdar B, Oliver SG (1998). Ethanol production and fermentation characteristics of Recombinant *Saccharomyces cerevisiae* strains grown on starch. *Enzyme Microb Technol* 22: 672-677.

- Bolstad BM, Irizarry R, Astrand M, Speed TP (2003). A comparison of normalization methods for high density oligonucleotide array data based on variance and bias. *Bioinformatics* 19: 185-193.
- Bothast RJ, Schlicher MA (2005). Biotechnological processes for conversion of corn into ethanol. *Appl Microbiol Biotechnol* 67: 19-25.
- Boyle EI, Weng S, Gollub J, Jin H, Botstein D, Cherry JM, Sherlock G (2004). GO::TermFinder—open source software for accessing Gene Ontology information and finding significantly enriched Gene Ontology terms associated with a list of genes. *Bioinformatics* 20: 3710-3715.
- Cankorur-Cetinkaya A, Eraslan S, Kirdar B (2013). Transcriptional remodelling in response to changing copper levels in the Wilson and Menkes disease model of *Saccharomyces cerevisiae*. *Mol Biosyst* 9: 2889-2908.
- Choi GW, Kang HW, Moon, SK (2009). Repeated-batch fermentation using flocculent hybrid, *Saccharomyces cerevisiae* CHFY0321 for efficient production of bioethanol. *Appl Microbiol Biotechnol* 84: 261-269.
- Costenoble R, Valadi H, Gustafsson L, Niklasson C, Franzén CJ (2000). Microaerobic glycerol formation in *Saccharomyces cerevisiae*. *Yeast* 16: 1483-1495.
- Cvijovic M, Olivares-Hernández R, Agren R, Dahr N, Vongsangnak W, Nookaew I, Patil KR, Nielsen J (2010). BioMet Toolbox: genome-wide analysis of metabolism. *Nucleic Acids Res* 38: 144-149.
- De Moraes L, Astolfi-Filho S, Oliver S (1995). Development of yeast strains for the efficient utilisation of starch: evaluation of constructs that express alpha-amylase and glucoamylase separately or as bifunctional fusion proteins. *Appl Microbiol Biotechnol* 43: 1067-1076.
- Elkins JG, Raman B, Keller M (2010). Engineered microbial systems for enhanced conversion of lignocellulosic biomass. *Curr Opin Biotechnol* 21: 657-662.
- Favaro L, Basaglia M, Saayman M, Rose SH, van Zyl WH, Casello S (2010). Engineering amylolytic yeasts for industrial bioethanol production. *Chem Eng Transact* 20: 97-102.
- Gautier L, Cope L, Bolstad BM, Irizarry R (2004). affy—analysis of Affymetrix GeneChip data at the probe level. *Bioinformatics* 20: 307-315.
- Gentleman RC, Carey VJ, Bates DM, Bolstad B, Dettling M, Dudoit S, Ellis B, Gautier L, Ge Y, Gentry J et al. (2004). Bioconductor: Open software development for computational biology and bioinformatics. *Genome Biol* 5: R80.
- Goyal HB, Seal D, Saxena RC (2008). Bio-fuels from thermochemical conversion of renewable resources: a review. *Renew Sust Energ Rev* 12: 504-517.
- Gray KA, Zhao L, Emptage M (2006). Bioethanol. *Curr Opin Chem Biol* 10: 141-146.
- Guimarães PMR, Teixeira JA, Domingues L (2008). Fermentation of high concentrations of lactose to ethanol by engineered flocculent *Saccharomyces cerevisiae*. *Biotechnol Lett* 30: 1953-1958.
- Heux S, Cachon R, Dequin S (2006). Cofactor engineering in *Saccharomyces cerevisiae*: expression of a H₂O-forming NADH oxidase and impact on redox metabolism. *Metab Eng* 8: 303-314.
- Inderwildi OR, King D (2009). Quo vadis biofuels? *Energ Environ Sci* 2: 343-346.
- Karim AS, Curran KA, Alper HS (2013). Characterization of plasmid burden and copy number in *Saccharomyces cerevisiae* for optimization of metabolic engineering applications. *FEMS Yeast Res* 13: 107-116.
- Kasavi C, Eraslan S, Arga K, Toksoy Oner E, Kirdar B (2014). A system based network approach to ethanol tolerance in *Saccharomyces cerevisiae*. *BMC Syst Biol* 8: 90.
- Kim JH, Kim HR, Lim MH, Ko HM, Chin JE, Lee HB, Kim C, Bai S (2010). Construction of a direct starch-fermenting industrial strain of *Saccharomyces cerevisiae* producing glucoamylase, alpha-amylase and debranching enzyme. *Biotechnol Lett* 32: 713-719.
- Li Z, Lee I, Moradi E, Hung NJ, Johnson AW, Marcotte EM (2009). Rational extension of the ribosome biogenesis pathway using network-guided genetics. *PLoS Biol* 7: e1000213.
- Oliveira AP, Patil KR, Nielsen J (2008). Architecture of transcriptional regulatory circuits is knitted over the topology of bio-molecular interaction networks. *BMC Syst Biol* 2: 17.
- Ow DSW, Nissom PM, Philp R, Oh SKW, Yap MGS (2006). Global transcriptional analysis of metabolic burden due to plasmid maintenance in *Escherichia coli* DH5a during batch fermentation. *Enzyme Microb Technol* 39: 391-398.
- Patil KR, Nielsen J (2005). Uncovering transcriptional regulation of metabolism by using metabolic network topology. *P Natl Acad Sci USA* 102: 2685-2689.
- Saeed AI, Bhagabati NK, Braisted JC, Liang W, Sharov V, Howe EA, Li J, Thiagarajan M, White JA, Quackenbush J (2006). TM4 microarray software suite. *Method Enzymol* 411: 134-193.
- Sánchez OJ, Cardona C (2008). Trends in biotechnological production of fuel ethanol from different feedstocks. *Bioresour Technol* 99: 5270-5295.
- Sanchez-Gonzalez Y, Cameleyre X, Molina-Jouve C, Goma G, Alfenore S (2009). Dynamic microbial response under ethanol stress to monitor *Saccharomyces cerevisiae* activity in different initial physiological states. *Bioprocess Biosys Eng* 32: 459-466.
- Shen Y, Zhang Y, Ma T, Bao X, Du F, Zhuang G, Qu Y (2008). Simultaneous saccharification and fermentation of acid-pretreated corncobs with a recombinant *Saccharomyces cerevisiae* expressing beta-glucosidase. *Bioresour Technol* 99: 5099-5103.
- Teixeira MC, Monteiro PT, Guerreiro JF, Gonçalves JP, Mira NP, Dos Santos SC, Cabrito TR, Palma M, Costa C, Francisco AP et al. (2013). The YEASTRACT database: an upgraded information system for the analysis of gene and genomic transcription regulation in *Saccharomyces cerevisiae*. *Nucleic Acids Res* 42: D161-166.

- Toksoy Öner E (2006). Optimization of ethanol production from starch by an amyolytic nuclear petite *Saccharomyces cerevisiae* strain. *Yeast* 23: 849-856.
- Toksoy Öner E, Oliver SG, Kırdar B (2005). Production of ethanol from starch by respiration-deficient recombinant *Saccharomyces cerevisiae*. *Appl Environ Microbiol* 71: 6443-6445.
- Wong DWS, Robertson GH, Lee CC, Wagschal K (2007). Synergistic action of recombinant α -amylase and glucoamylase on the hydrolysis of starch granules. *Protein J* 26: 159-164.
- Yamada R, Bito Y, Adachi T, Tanaka T, Ogino C, Fukuda H, Kondo A (2009). Efficient production of ethanol from raw starch by a mated diploid *Saccharomyces cerevisiae* with integrated α -amylase and glucoamylase genes. *Enzyme Microb Technol* 44: 344-349.
- Yamada R, Yamakawa SI, Tanaka T, Ogino C, Fukuda H, Kondo A (2011). Direct and efficient ethanol production from high-yielding rice using a *Saccharomyces cerevisiae* strain that express amylases. *Enzyme Microb Technol* 48: 393-396.

Table S1. Strain-significant genes whose expression levels were significantly changed ($P < 0.001$) in response to the presence of the recombinant vector and the constitutive expression of the amyolytic genes on the plasmid.

| ID | Adj. P-value |
|-----------|--------------|
| YGR213C | 3.14E-06 |
| YOR134W | 4.55E-04 |
| YIL072W | 3.85E-05 |
| YBR056W-A | 4.77E-07 |
| YNL093W | 8.74E-04 |
| YIL073C | 7.18E-04 |
| YNR075W | 3.33E-04 |
| YLR054C | 4.77E-05 |
| YNR064C | 9.97E-05 |
| YLR136C | 1.46E-04 |
| YJL144W | 7.81E-05 |
| YDL114W | 1.44E-04 |
| YHR096C | 1.41E-04 |
| YAL064W | 2.24E-05 |
| YMR316W | 3.18E-07 |
| YOL104C | 7.93E-04 |
| YGL205W | 2.58E-04 |
| YHL012W | 6.61E-04 |
| YDR034W-B | 2.44E-04 |
| YIL160C | 5.51E-04 |
| YOL086W-A | 2.80E-07 |
| YNL012W | 2.19E-04 |
| YLR213C | 9.67E-04 |
| YKL107W | 8.18E-04 |
| YBR033W | 2.04E-04 |
| YLR121C | 1.16E-05 |
| YMR040W | 6.31E-06 |
| YDR540C | 7.45E-06 |
| YOL016C | 3.46E-06 |
| YER184C | 5.69E-04 |
| YKL163W | 6.81E-04 |
| YLR194C | 8.43E-07 |
| YER185W | 9.59E-04 |
| YMR085W | 2.28E-04 |
| YKL161C | 8.86E-06 |
| YKR091W | 2.00E-06 |
| YOL155W-A | 2.57E-04 |
| YGL156W | 9.85E-06 |
| YFR026C | 3.04E-05 |

Table S1. (Continued).

| | |
|-----------|----------|
| YHR124W | 8.17E-04 |
| YCR007C | 5.56E-07 |
| YJL116C | 3.31E-04 |
| YJR106W | 1.98E-04 |
| YMR107W | 2.38E-04 |
| YHR138C | 4.98E-05 |
| YER039C-A | 4.35E-04 |
| YMR034C | 4.25E-05 |
| YHR209W | 4.99E-05 |
| YOL163W | 6.65E-04 |
| YBR045C | 3.88E-04 |
| YNR075C-A | 8.02E-04 |
| YDR043C | 1.64E-05 |
| YLR414C | 9.72E-07 |
| YBR005W | 4.68E-05 |
| YIL101C | 4.67E-04 |
| YGR110W | 1.00E-04 |
| YDL024C | 2.20E-04 |
| YPL088W | 2.65E-05 |
| YMR175W | 7.64E-04 |
| YLR099C | 2.57E-05 |
| YJR149W | 3.56E-04 |
| YOR385W | 4.31E-06 |
| YIR028W | 1.93E-04 |
| YOR220W | 1.56E-05 |
| YCL018W | 1.01E-06 |
| YHR139C | 5.56E-04 |
| YGL179C | 1.15E-04 |
| YGL166W | 8.54E-05 |
| YPL156C | 2.42E-04 |
| YLR214W | 5.27E-04 |
| YIR039C | 4.35E-06 |
| YOR289W | 1.45E-04 |
| YLL057C | 2.90E-04 |
| YMR008C | 2.69E-06 |
| YBR295W | 2.03E-04 |
| YLR120C | 1.19E-06 |
| YOL031C | 3.00E-05 |
| YGL251C | 8.88E-04 |
| YEL060C | 9.07E-06 |
| YMR053C | 6.52E-05 |
| YBR072W | 2.06E-04 |
| YDL234C | 4.49E-05 |

Table S1. (Continued).

| | |
|-----------|----------|
| YOL162W | 3.02E-04 |
| YJL213W | 1.72E-04 |
| YBR047W | 5.24E-04 |
| YOR036W | 1.10E-06 |
| YOR273C | 8.64E-05 |
| YLR149C | 1.35E-04 |
| YJR151C | 5.95E-04 |
| YFL030W | 4.07E-04 |
| YNL092W | 3.89E-04 |
| YML130C | 1.83E-05 |
| YDR171W | 2.06E-04 |
| YPL095C | 6.22E-05 |
| YGL126W | 1.06E-04 |
| YKR061W | 3.47E-05 |
| YJR107W | 3.19E-04 |
| YMR184W | 1.71E-06 |
| YBR085C-A | 5.89E-05 |
| YIL117C | 2.01E-05 |
| YBR201W | 1.89E-05 |
| YJL057C | 7.66E-05 |
| YER175C | 3.65E-04 |
| YGR142W | 2.45E-04 |
| YML118W | 4.75E-06 |
| YHL048W | 8.31E-05 |
| YDL027C | 9.30E-05 |
| YKL165C | 3.01E-07 |
| YJR078W | 2.97E-04 |
| YOL091W | 4.96E-04 |
| YNL192W | 1.46E-05 |
| YJL073W | 3.00E-05 |
| YDL199C | 4.25E-04 |
| YDL085W | 6.29E-05 |
| YCR018C | 4.23E-04 |
| YHR030C | 3.67E-06 |
| YGR043C | 2.44E-05 |
| YOR208W | 8.74E-05 |
| YKL073W | 1.94E-04 |
| YGR268C | 5.99E-06 |
| YJL094C | 5.19E-05 |
| YGR032W | 3.33E-05 |
| YGL180W | 3.41E-04 |
| YER158C | 7.69E-05 |
| YMR095C | 1.60E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YKL159C | 5.27E-07 |
| YPR079W | 1.45E-04 |
| YNR059W | 6.74E-05 |
| YER130C | 1.43E-05 |
| YJL048C | 2.72E-04 |
| YOL083W | 4.18E-05 |
| YOR288C | 5.88E-06 |
| YLR104W | 3.76E-05 |
| YML054C | 4.91E-04 |
| YJL153C | 4.52E-05 |
| YPL149W | 5.70E-05 |
| YAR027W | 2.15E-04 |
| YJR019C | 9.98E-05 |
| YBR066C | 4.49E-05 |
| YJL149W | 6.25E-04 |
| YDR358W | 5.90E-04 |
| YBR214W | 2.16E-05 |
| YLL060C | 7.80E-04 |
| YBL078C | 8.62E-04 |
| YMR181C | 1.16E-04 |
| YKL120W | 3.35E-05 |
| YGR161C | 1.93E-04 |
| YGL157W | 7.96E-06 |
| YNL223W | 2.10E-04 |
| YCL049C | 2.28E-06 |
| YLL058W | 2.07E-04 |
| YIL146C | 7.11E-05 |
| YNL015W | 2.88E-04 |
| YLR251W | 9.99E-04 |
| YDR210W | 1.16E-05 |
| YMR020W | 1.03E-04 |
| YJL016W | 1.76E-04 |
| YDR319C | 3.28E-04 |
| YIL001W | 3.88E-04 |
| YER035W | 1.66E-04 |
| YNR007C | 2.06E-04 |
| YPR154W | 2.30E-04 |
| YER144C | 6.52E-04 |
| YMR271C | 9.28E-06 |
| YLR350W | 3.55E-05 |
| YBR056W | 1.45E-04 |
| YOR034C-A | 2.00E-05 |
| YAL028W | 6.45E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YOR035C | 2.29E-04 |
| YIL077C | 2.03E-04 |
| YOR152C | 1.59E-04 |
| YNL208W | 1.79E-04 |
| YIL042C | 3.62E-04 |
| YDL124W | 2.79E-05 |
| YHR102W | 2.47E-04 |
| YJL206C | 8.80E-05 |
| YDR518W | 5.14E-05 |
| YOL014W | 7.36E-04 |
| YDR519W | 1.30E-05 |
| YGL053W | 3.02E-04 |
| YGL009C | 6.20E-04 |
| YGL039W | 2.27E-04 |
| YDR391C | 1.02E-04 |
| YJR142W | 6.37E-04 |
| YOR365C | 6.47E-04 |
| YDR320C | 5.45E-05 |
| YOR192C-C | 4.87E-04 |
| YFL031W | 2.43E-05 |
| YMR258C | 3.66E-04 |
| YDL193W | 1.76E-04 |
| YHR106W | 7.92E-05 |
| YOR137C | 9.02E-05 |
| YNL020C | 2.14E-04 |
| YDR411C | 1.29E-05 |
| YOL032W | 4.57E-05 |
| YNL202W | 6.08E-04 |
| YBR269C | 2.23E-07 |
| YIR035C | 8.27E-04 |
| YPL123C | 6.26E-04 |
| YDR503C | 5.09E-04 |
| YJL155C | 1.40E-04 |
| YGR028W | 4.84E-04 |
| YKL151C | 2.09E-04 |
| YKR049C | 2.39E-04 |
| YIL108W | 2.79E-05 |
| YMR191W | 4.61E-05 |
| YDR262W | 3.03E-04 |
| YHR171W | 3.70E-04 |
| YNL289W | 3.20E-04 |
| YJL034W | 3.57E-06 |
| YGL071W | 4.59E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YNL249C | 1.13E-04 |
| YJR008W | 4.66E-04 |
| YGL006W | 7.43E-05 |
| YDR059C | 1.52E-04 |
| YKR076W | 7.07E-04 |
| YBR053C | 8.00E-06 |
| YNL115C | 3.33E-04 |
| YKL206C | 1.65E-04 |
| YFR008W | 9.02E-06 |
| YBR137W | 1.10E-05 |
| YGR168C | 7.74E-04 |
| YER150W | 8.78E-04 |
| YNR019W | 8.89E-04 |
| YGL055W | 6.41E-06 |
| YBR071W | 2.62E-08 |
| YJR096W | 8.06E-05 |
| YGR080W | 1.01E-04 |
| YOR321W | 1.68E-04 |
| YOL048C | 9.18E-05 |
| YHR075C | 4.15E-04 |
| YPR117W | 3.28E-05 |
| YDR258C | 5.23E-04 |
| YGL185C | 2.42E-05 |
| YIR002C | 6.13E-05 |
| YPL152W | 6.60E-04 |
| YEL012W | 9.90E-04 |
| YOR020W-A | 6.41E-04 |
| YOR329C | 2.70E-06 |
| YBR020W | 8.56E-05 |
| YOR219C | 1.84E-04 |
| YDR400W | 6.67E-05 |
| YGR127W | 4.18E-04 |
| YPR198W | 2.76E-04 |
| YOL013C | 1.59E-04 |
| YOL055C | 1.53E-04 |
| YNL003C | 8.10E-04 |
| YGR284C | 2.46E-04 |
| YMR035W | 7.82E-04 |
| YHL027W | 3.71E-05 |
| YIL154C | 6.99E-05 |
| YMR170C | 2.83E-04 |
| YDL215C | 8.98E-05 |
| YDR533C | 2.42E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YFR039C | 8.61E-04 |
| YBL039W-A | 1.55E-04 |
| YLR446W | 9.45E-04 |
| YIL017C | 1.46E-05 |
| YKL065C | 3.00E-04 |
| YLR099W-A | 2.19E-04 |
| YOR069W | 3.93E-04 |
| YDR528W | 4.86E-04 |
| YPL109C | 3.55E-05 |
| YKL074C | 2.71E-05 |
| YHR006W | 1.98E-04 |
| YGL059W | 9.48E-04 |
| YOR221C | 3.14E-05 |
| YNL157W | 4.98E-05 |
| YMR096W | 4.19E-05 |
| YPL222W | 2.26E-04 |
| YAL034C | 1.65E-04 |
| YIR017C | 7.14E-04 |
| YLR424W | 4.78E-04 |
| YNL049C | 4.26E-04 |
| YNL293W | 1.07E-04 |
| YLR270W | 2.83E-04 |
| YFR041C | 5.50E-04 |
| YDR539W | 1.04E-04 |
| YJR005W | 7.20E-05 |
| YPL161C | 1.02E-04 |
| YDR423C | 9.60E-04 |
| YNL294C | 4.41E-04 |
| YLR356W | 5.38E-04 |
| YJL020C | 2.23E-04 |
| YDL091C | 5.38E-04 |
| YLL026W | 5.91E-04 |
| YJR036C | 6.20E-04 |
| YJL165C | 1.52E-04 |
| YNL286W | 3.49E-04 |
| YNL044W | 2.32E-05 |
| YDR265W | 5.17E-04 |
| YDR001C | 2.18E-04 |
| YGR189C | 1.47E-04 |
| YKL174C | 8.82E-04 |
| YOR250C | 1.37E-04 |
| YLR100W | 1.26E-04 |
| YDR435C | 2.49E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YPL240C | 1.35E-04 |
| YDR479C | 3.34E-04 |
| YFL042C | 2.93E-04 |
| YJR136C | 2.16E-04 |
| YKL129C | 3.95E-04 |
| YKR046C | 7.68E-04 |
| YBL029C-A | 7.08E-04 |
| YOR197W | 1.61E-05 |
| YNR006W | 2.23E-04 |
| YDR055W | 2.44E-04 |
| YIR033W | 8.77E-04 |
| YLR345W | 5.13E-04 |
| YKL188C | 2.68E-04 |
| YDL115C | 8.24E-04 |
| YPL150W | 3.31E-04 |
| YOR209C | 3.99E-04 |
| YKL104C | 6.49E-04 |
| YDR313C | 3.47E-04 |
| YMR087W | 3.77E-06 |
| YLR254C | 3.52E-04 |
| YBL019W | 6.57E-04 |
| YNL040W | 6.61E-05 |
| YIR036C | 2.75E-04 |
| YHL002W | 3.67E-04 |
| YBR149W | 3.24E-04 |
| YGL038C | 8.21E-04 |
| YBR046C | 6.29E-04 |
| YFR042W | 2.96E-04 |
| YGR149W | 1.97E-04 |
| YOL011W | 6.36E-04 |
| YEL020C | 6.34E-04 |
| YDR131C | 5.42E-04 |
| YOR336W | 1.69E-04 |
| YDL149W | 8.41E-04 |
| YPL221W | 7.76E-05 |
| YDL110C | 5.90E-04 |
| YDR538W | 6.72E-04 |
| YPR148C | 2.55E-05 |
| YKL126W | 4.09E-04 |
| YDR242W | 1.08E-04 |
| YKR097W | 1.53E-04 |
| YIL006W | 7.05E-04 |
| YGR136W | 5.06E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YOR213C | 7.23E-05 |
| YJL132W | 6.60E-04 |
| YLR199C | 2.19E-04 |
| YNL241C | 9.96E-05 |
| YDL206W | 7.39E-04 |
| YNL007C | 3.40E-04 |
| YDR122W | 7.51E-04 |
| YPL170W | 1.58E-04 |
| YOR275C | 6.29E-04 |
| YMR160W | 1.07E-04 |
| YOR002W | 1.34E-04 |
| YLL029W | 1.98E-04 |
| YDL020C | 5.10E-04 |
| YOL009C | 3.66E-04 |
| YPL087W | 7.77E-04 |
| YJL141C | 6.24E-04 |
| YJL151C | 8.08E-05 |
| YKL213C | 1.56E-04 |
| YDR436W | 4.74E-04 |
| YKL150W | 7.04E-04 |
| YGR037C | 6.93E-05 |
| YBR036C | 6.58E-04 |
| YKL012W | 9.04E-05 |
| YPL249C | 6.91E-05 |
| YKR003W | 3.15E-05 |
| YPR147C | 4.69E-04 |
| YLR256W | 6.22E-04 |
| YDR295C | 5.86E-04 |
| YPL001W | 9.07E-05 |
| YPL052W | 1.47E-04 |
| YCL043C | 1.33E-04 |
| YML013W | 3.99E-05 |
| YAL002W | 2.54E-04 |
| YDR141C | 1.00E-04 |
| YLR216C | 7.61E-04 |
| YPL120W | 1.98E-04 |
| YMR022W | 1.57E-04 |
| YBR176W | 4.07E-04 |
| YOR299W | 3.27E-04 |
| YOL002C | 1.99E-04 |
| YDR525W-A | 3.54E-04 |
| YKL010C | 4.44E-04 |
| YMR295C | 8.76E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YBR273C | 3.27E-04 |
| YCL047C | 9.04E-04 |
| YKL142W | 7.19E-04 |
| YPL085W | 1.11E-04 |
| YLL039C | 4.50E-04 |
| YMR315W | 7.93E-04 |
| YML057W | 1.09E-04 |
| YJL163C | 7.77E-04 |
| YHR208W | 7.99E-05 |
| YGL242C | 9.75E-04 |
| YPL100W | 1.13E-04 |
| YMR238W | 4.08E-05 |
| YLR028C | 1.03E-04 |
| YHR134W | 8.63E-04 |
| YMR173W | 7.09E-04 |
| YMR176W | 4.64E-05 |
| YDR166C | 2.58E-05 |
| YKL193C | 6.26E-04 |
| YOR236W | 4.78E-04 |
| YKL157W | 1.84E-04 |
| YMR025W | 5.62E-04 |
| YLR371W | 6.97E-04 |
| YJR138W | 5.84E-04 |
| YEL059C-A | 4.64E-05 |
| YJL171C | 8.71E-06 |
| YNR039C | 1.97E-04 |
| YNL011C | 6.96E-04 |
| YLR207W | 7.02E-04 |
| YJL091C | 9.64E-04 |
| YJL084C | 2.30E-04 |
| YBR101C | 2.43E-04 |
| YDR129C | 3.42E-04 |
| YMR013C | 1.94E-04 |
| YHR017W | 4.51E-04 |
| YCL040W | 7.51E-05 |
| YKL013C | 5.35E-04 |
| YPL159C | 7.96E-04 |
| YGL141W | 7.08E-05 |
| YJL159W | 1.11E-06 |
| YMR097C | 3.82E-04 |
| YBR126C | 2.00E-04 |
| YLR292C | 4.58E-05 |
| YJL079C | 9.78E-05 |

Table S1. (Continued).

| | |
|-----------|----------|
| YDL125C | 7.82E-05 |
| YMR054W | 1.33E-04 |
| YBL088C | 1.03E-04 |
| YOR099W | 2.81E-04 |
| YCR036W | 4.26E-04 |
| YDR078C | 4.42E-04 |
| YNL161W | 6.77E-04 |
| YDR434W | 3.64E-06 |
| YPL071C | 3.31E-04 |
| YDR305C | 5.60E-05 |
| YGL208W | 4.70E-04 |
| YBR170C | 3.21E-04 |
| YKL007W | 5.64E-05 |
| YIL034C | 8.61E-05 |
| YHR190W | 3.41E-04 |
| YGL057C | 2.71E-04 |
| YLR367W | 5.05E-04 |
| YHR188C | 5.48E-04 |
| YKL124W | 2.62E-04 |
| YGL128C | 2.30E-04 |
| YEL058W | 7.68E-04 |
| YPR172W | 7.47E-04 |
| YGR255C | 7.65E-04 |
| YDR077W | 3.25E-04 |
| YDL123W | 4.69E-04 |
| YNL079C | 5.32E-04 |
| YDR407C | 5.37E-04 |
| YOR238W | 1.63E-04 |
| YBR109C | 3.51E-05 |
| YML070W | 1.02E-04 |
| YJL167W | 2.23E-05 |
| YBR016W | 1.76E-04 |
| YCR009C | 9.70E-04 |
| YGL167C | 4.12E-05 |
| YMR122W-A | 3.51E-04 |
| YAL016W | 5.73E-04 |
| YLR179C | 4.01E-04 |
| YDL012C | 4.34E-04 |
| YIR038C | 5.24E-04 |
| YMR226C | 1.08E-04 |
| YMR220W | 4.07E-04 |
| YGR010W | 6.36E-04 |
| YER136W | 1.31E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YML074C | 9.35E-04 |
| YLR390W-A | 4.81E-04 |
| YLL040C | 9.82E-04 |
| YBR080C | 7.61E-05 |
| YOR198C | 6.79E-04 |
| YLR188W | 8.90E-05 |
| YML028W | 3.66E-04 |
| YGR217W | 2.37E-04 |
| YDR189W | 5.28E-05 |
| YJR024C | 8.76E-07 |
| YGR235C | 6.42E-04 |
| YBR173C | 8.02E-04 |
| YPR165W | 2.65E-05 |
| YPR075C | 7.67E-04 |
| YGR244C | 9.91E-04 |
| YAL007C | 4.58E-04 |
| YPL031C | 4.39E-04 |
| YAL051W | 2.63E-04 |
| YLR429W | 7.91E-04 |
| YPL154C | 1.53E-04 |
| YDR099W | 1.94E-04 |
| YMR092C | 4.09E-04 |
| YOR254C | 5.89E-04 |
| YDL029W | 6.93E-04 |
| YNL118C | 6.42E-04 |
| YLR085C | 7.76E-04 |
| YKL039W | 2.06E-04 |
| YPL028W | 1.29E-04 |
| YMR026C | 9.24E-05 |
| YPL188W | 5.59E-05 |
| YKL182W | 1.39E-04 |
| YPR159W | 9.32E-04 |
| YNL138W | 1.49E-05 |
| YDR073W | 6.77E-04 |
| YHR098C | 8.34E-05 |
| YPL218W | 2.55E-04 |
| YEL031W | 8.01E-04 |
| YNL055C | 2.61E-04 |
| YDR155C | 7.63E-07 |
| YBL105C | 5.59E-05 |
| YIL041W | 4.94E-04 |
| YDR164C | 6.08E-04 |
| YML012W | 4.74E-04 |

Table S1. (Continued).

| | |
|---------|----------|
| YGR157W | 4.46E-04 |
| YLR355C | 5.30E-04 |
| YAL001C | 8.23E-04 |
| YPL232W | 6.71E-04 |
| YPL115C | 6.41E-04 |
| YNL212W | 1.49E-04 |
| YER094C | 4.82E-04 |
| YPL078C | 7.36E-04 |
| YLR354C | 7.86E-04 |
| YKL145W | 2.91E-04 |
| YLR192C | 8.02E-04 |
| YDL126C | 7.77E-04 |
| YOR312C | 7.41E-05 |
| YJR123W | 3.04E-04 |
| YDR382W | 3.65E-04 |
| YLR090W | 9.33E-04 |
| YER125W | 1.21E-05 |
| YHR007C | 3.70E-04 |
| YLR060W | 5.38E-04 |
| YDR025W | 7.35E-04 |
| YGR155W | 1.71E-04 |
| YJL136C | 3.27E-04 |
| YER026C | 8.80E-04 |
| YEL027W | 2.52E-04 |
| YBR078W | 3.64E-05 |
| YBR189W | 3.62E-04 |
| YOL039W | 8.11E-04 |
| YOR276W | 5.56E-04 |
| YHR181W | 8.46E-05 |
| YDL182W | 2.31E-04 |
| YLR335W | 3.24E-04 |
| YMR177W | 4.27E-04 |
| YBR067C | 8.28E-04 |
| YDR023W | 3.64E-04 |
| YOR303W | 6.10E-04 |
| YER031C | 7.74E-04 |
| YNL001W | 3.57E-04 |
| YDR182W | 2.70E-04 |
| YKL144C | 2.01E-05 |
| YIL069C | 2.00E-06 |
| YGL008C | 7.13E-04 |
| YHR026W | 1.98E-04 |
| YML085C | 3.78E-04 |

Table S1. (Continued).

| | |
|---------|----------|
| YOL123W | 5.20E-04 |
| YKL035W | 8.26E-04 |
| YFR038W | 6.16E-04 |
| YGR095C | 7.71E-06 |
| YMR235C | 6.13E-04 |
| YPL234C | 7.94E-04 |
| YMR285C | 8.89E-04 |
| YKR026C | 8.89E-04 |
| YGL106W | 8.89E-04 |
| YOL058W | 7.17E-04 |
| YBR029C | 1.42E-04 |
| YBL087C | 1.97E-04 |
| YOL103W | 3.65E-05 |
| YNL113W | 8.75E-04 |
| YNL169C | 7.60E-04 |
| YOR308C | 5.76E-04 |
| YOR175C | 7.18E-04 |
| YNL292W | 8.28E-04 |
| YPL158C | 4.90E-04 |
| YBR283C | 2.52E-04 |
| YHR133C | 6.20E-05 |
| YLR372W | 5.15E-06 |
| YBR074W | 9.50E-04 |
| YNR021W | 4.84E-04 |
| YLR186W | 3.60E-04 |
| YKL130C | 9.51E-04 |
| YPR113W | 7.05E-04 |
| YKL085W | 1.86E-04 |
| YNL220W | 2.80E-04 |
| YCR034W | 2.46E-04 |
| YDR347W | 7.59E-04 |
| YOR168W | 5.28E-04 |
| YOR021C | 4.64E-04 |
| YPL063W | 8.54E-04 |
| YDR404C | 2.79E-04 |
| YAR007C | 7.32E-04 |
| YKL081W | 1.24E-05 |
| YHR013C | 3.59E-04 |
| YCR077C | 2.10E-05 |
| YLR328W | 9.54E-04 |
| YNL153C | 7.14E-04 |
| YGL021W | 9.54E-04 |
| YGR215W | 1.31E-05 |

Table S1. (Continued).

| | |
|-----------|----------|
| YNL155W | 5.47E-04 |
| YMR203W | 7.06E-04 |
| YNL232W | 9.13E-04 |
| YNL181W | 2.14E-04 |
| YMR277W | 1.79E-04 |
| YML035C | 5.61E-04 |
| YGR061C | 5.43E-04 |
| YEL038W | 3.36E-04 |
| YLR020C | 2.71E-04 |
| YLR175W | 4.49E-04 |
| YDL208W | 9.36E-05 |
| YML125C | 1.50E-04 |
| YHR005C-A | 7.71E-04 |
| YDL160C | 5.05E-04 |
| YMR193W | 6.33E-04 |
| YBR265W | 4.61E-05 |
| YGL120C | 4.29E-04 |
| YGR074W | 5.32E-04 |
| YML053C | 9.43E-04 |
| YPR100W | 1.74E-04 |
| YER146W | 3.93E-04 |
| YJR010W | 1.66E-04 |
| YEL017W | 2.47E-06 |
| YOR310C | 5.03E-04 |
| YHL001W | 5.96E-05 |
| YDR345C | 5.88E-07 |
| YKL175W | 4.00E-04 |
| YOL077C | 7.77E-04 |
| YDR207C | 2.99E-04 |
| YJR015W | 7.66E-04 |
| YGR140W | 1.00E-05 |
| YJR056C | 4.83E-04 |
| YDR079W | 7.85E-04 |
| YPR149W | 1.15E-04 |
| YHL031C | 7.97E-05 |
| YDL213C | 5.20E-04 |
| YNL268W | 8.02E-04 |
| YHR061C | 4.77E-05 |
| YDR054C | 2.03E-04 |
| YNL102W | 1.86E-04 |
| YHR068W | 1.40E-04 |
| YPL211W | 9.01E-05 |
| YPR120C | 1.90E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YJL183W | 5.59E-07 |
| YIL118W | 1.54E-04 |
| YEL020W-A | 9.56E-04 |
| YHR089C | 9.24E-04 |
| YLR197W | 8.53E-04 |
| YOR145C | 4.27E-05 |
| YOR001W | 6.27E-04 |
| YNL132W | 4.92E-04 |
| YMR229C | 5.74E-04 |
| YNL058C | 2.28E-04 |
| YDL164C | 6.15E-05 |
| YOL143C | 2.23E-04 |
| YML009C | 7.81E-04 |
| YHR144C | 7.64E-04 |
| YJR143C | 9.48E-04 |
| YDL202W | 4.27E-05 |
| YGL010W | 8.97E-05 |
| YGR158C | 7.91E-04 |
| YGL097W | 1.12E-04 |
| YGL099W | 7.33E-04 |
| YEL042W | 7.50E-05 |
| YHR088W | 8.82E-04 |
| YMR076C | 8.83E-04 |
| YJL104W | 1.99E-04 |
| YHR128W | 8.72E-04 |
| YOL125W | 3.56E-05 |
| YBL098W | 4.48E-04 |
| YPR071W | 8.69E-04 |
| YDR280W | 4.73E-04 |
| YJL087C | 4.52E-04 |
| YDL014W | 8.92E-05 |
| YDR146C | 2.14E-04 |
| YMR241W | 1.88E-05 |
| YBR218C | 3.36E-04 |
| YDR245W | 1.39E-04 |
| YOR252W | 7.57E-04 |
| YNR017W | 1.74E-04 |
| YPL263C | 4.13E-04 |
| YMR300C | 2.41E-05 |
| YBR154C | 3.99E-04 |
| YOR136W | 3.92E-05 |
| YDR046C | 4.36E-04 |
| YDR322W | 1.33E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YKL154W | 7.54E-05 |
| YDR267C | 7.55E-04 |
| YMR145C | 4.11E-04 |
| YJL096W | 9.21E-04 |
| YGL139W | 2.98E-04 |
| YER029C | 4.78E-04 |
| YKL009W | 2.85E-04 |
| YBL071W-A | 5.89E-04 |
| YDL209C | 6.52E-04 |
| YLR312W-A | 2.58E-04 |
| YPR143W | 9.65E-05 |
| YPL012W | 7.65E-04 |
| YLR129W | 3.76E-07 |
| YER113C | 9.90E-04 |
| YER016W | 3.94E-04 |
| YJR070C | 6.61E-04 |
| YML096W | 7.93E-04 |
| YER032W | 3.89E-04 |
| YCR003W | 2.73E-04 |
| YDL105W | 4.71E-04 |
| YHR062C | 6.81E-04 |
| YOL056W | 6.00E-04 |
| YGR191W | 6.13E-05 |
| YKL166C | 2.92E-04 |
| YJL208C | 3.84E-05 |
| YNL129W | 3.42E-05 |
| YPR041W | 4.80E-05 |
| YHR196W | 4.41E-04 |
| YDR393W | 8.16E-05 |
| YOR187W | 1.48E-05 |
| YPL227C | 5.37E-06 |
| YGL040C | 8.74E-04 |
| YNL264C | 9.76E-04 |
| YOL140W | 2.18E-04 |
| YKR072C | 3.16E-04 |
| YDR337W | 2.88E-04 |
| YER095W | 9.73E-04 |
| YMR215W | 4.31E-04 |
| YBR187W | 3.04E-04 |
| YDR033W | 8.07E-04 |
| YOL115W | 8.31E-04 |
| YGR238C | 9.88E-04 |
| YDR361C | 6.77E-05 |

Table S1. (Continued).

| | |
|---------|----------|
| YOR229W | 1.00E-04 |
| YDR354W | 1.40E-04 |
| YIL053W | 1.69E-05 |
| YNL262W | 7.11E-05 |
| YPR060C | 3.96E-04 |
| YIL127C | 5.14E-04 |
| YGL213C | 6.74E-04 |
| YGR152C | 1.95E-04 |
| YLR009W | 6.25E-04 |
| YIL140W | 2.94E-04 |
| YMR070W | 7.27E-04 |
| YEL063C | 9.31E-04 |
| YNL151C | 8.94E-05 |
| YGR266W | 1.36E-05 |
| YOR272W | 8.75E-04 |
| YMR243C | 9.70E-04 |
| YGR251W | 8.04E-04 |
| YLR154C | 6.46E-04 |
| YDL227C | 4.65E-06 |
| YJL088W | 7.94E-04 |
| YOR071C | 7.28E-04 |
| YPL043W | 6.49E-04 |
| YPL086C | 9.48E-04 |
| YPL265W | 7.46E-04 |
| YBR142W | 5.27E-04 |
| YFL004W | 5.34E-04 |
| YOR222W | 1.34E-04 |
| YHR052W | 3.35E-05 |
| YPL026C | 7.62E-04 |
| YLR326W | 2.93E-04 |
| YNL075W | 2.38E-04 |
| YNL197C | 1.06E-04 |
| YLR409C | 4.20E-04 |
| YLR196W | 4.08E-04 |
| YKL029C | 9.83E-04 |
| YKL216W | 4.70E-04 |
| YPL126W | 6.07E-04 |
| YLR049C | 3.00E-04 |
| YOR302W | 7.44E-04 |
| YLR222C | 4.28E-04 |
| YCL054W | 5.11E-04 |
| YIL165C | 8.07E-04 |
| YGR082W | 8.56E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YDR299W | 7.00E-05 |
| YDR449C | 2.79E-04 |
| YNL252C | 4.98E-04 |
| YCR087C-A | 1.61E-05 |
| YHR033W | 2.74E-04 |
| YIL093C | 8.99E-05 |
| YCL058C | 6.92E-04 |
| YLR437C | 9.05E-04 |
| YDR075W | 4.02E-07 |
| YPL207W | 9.39E-04 |
| YOR073W | 7.42E-04 |
| YBR268W | 5.48E-05 |
| YER002W | 3.45E-04 |
| YLR420W | 5.04E-05 |
| YGR187C | 4.83E-04 |
| YPL132W | 7.45E-04 |
| YBR247C | 4.48E-04 |
| YGR078C | 2.09E-05 |
| YGR169C-A | 2.00E-04 |
| YNL301C | 5.77E-04 |
| YBR291C | 2.07E-04 |
| YIL162W | 5.02E-05 |
| YJL198W | 6.32E-04 |
| YKL099C | 2.22E-04 |
| YIL091C | 9.57E-04 |
| YEL036C | 5.80E-04 |
| YIL103W | 5.47E-04 |
| YCL063W | 1.22E-04 |
| YPR144C | 7.85E-04 |
| YOR340C | 2.84E-04 |
| YGR109C | 6.19E-04 |
| YBL032W | 3.04E-05 |
| YIL009W | 8.37E-04 |
| YJR097W | 8.48E-04 |
| YBR028C | 2.17E-05 |
| YPL157W | 8.10E-04 |
| YER001W | 1.74E-04 |
| YGR245C | 1.16E-04 |
| YJL186W | 2.31E-04 |
| YDR297W | 5.19E-05 |
| YLR032W | 4.61E-04 |
| YIL132C | 9.74E-04 |
| YGR031W | 5.24E-04 |
| YLR183C | 6.54E-04 |
| YIL070C | 3.71E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YLR008C | 1.95E-06 |
| YJL134W | 5.23E-05 |
| YDL148C | 4.58E-04 |
| YBL009W | 3.88E-05 |
| YNR013C | 6.98E-04 |
| YML058W-A | 5.73E-04 |
| YLR084C | 9.31E-04 |
| YIL020C | 4.47E-04 |
| YOL052C | 6.51E-05 |
| YDR398W | 3.42E-04 |
| YLL008W | 6.62E-04 |
| YNL182C | 3.57E-04 |
| YMR195W | 1.13E-04 |
| YEL017C-A | 4.18E-04 |
| YER064C | 3.86E-05 |
| YNL068C | 4.48E-04 |
| YOR004W | 1.53E-04 |
| YNR053C | 3.42E-04 |
| YCL024W | 1.51E-04 |
| YNR028W | 9.32E-04 |
| YDR527W | 3.48E-04 |
| YBR271W | 2.93E-05 |
| YLL013C | 4.46E-05 |
| YOR119C | 3.93E-04 |
| YLL009C | 6.45E-04 |
| YDL049C | 1.30E-04 |
| YNL072W | 1.87E-04 |
| YMR011W | 1.74E-04 |
| YLL011W | 1.64E-04 |
| YFR053C | 4.07E-06 |
| YGR103W | 1.38E-04 |
| YNL037C | 2.95E-04 |
| YGR030C | 3.96E-04 |
| YOR095C | 4.78E-05 |
| YMR231W | 3.21E-05 |
| YGR159C | 9.98E-04 |
| YJL122W | 1.31E-04 |
| YGL029W | 2.05E-04 |
| YBL028C | 1.81E-04 |
| YIL164C | 9.06E-04 |
| YML018C | 2.07E-04 |
| YKR060W | 2.83E-04 |
| YGR280C | 1.95E-04 |
| YNL141W | 6.30E-04 |
| YNL024C | 2.86E-04 |

Table S1. (Continued).

| | |
|-----------|----------|
| YPL193W | 7.08E-04 |
| YGR205W | 5.85E-04 |
| YML052W | 3.25E-04 |
| YCR072C | 3.97E-04 |
| YLR023C | 2.63E-04 |
| YMR290C | 2.77E-04 |
| YHL016C | 9.23E-05 |
| YHR049W | 3.64E-04 |
| YLR068W | 1.06E-04 |
| YDR083W | 3.32E-04 |
| YKL096W | 5.38E-04 |
| YBL069W | 3.68E-05 |
| YOL028C | 2.58E-04 |
| YJL033W | 3.38E-04 |
| YLR407W | 2.43E-04 |
| YIL158W | 6.08E-05 |
| YAL025C | 3.26E-04 |
| YKL109W | 3.45E-04 |
| YIL019W | 7.55E-04 |
| YLR401C | 6.86E-04 |
| YAL059W | 1.38E-04 |
| YOL124C | 1.43E-04 |
| YPR119W | 3.15E-04 |
| YDL241W | 7.02E-04 |
| YGL209W | 6.30E-04 |
| YDR111C | 2.95E-04 |
| YGR109W-B | 5.08E-04 |
| YGR079W | 3.80E-04 |
| YOR342C | 2.48E-04 |
| YJL196C | 4.53E-06 |
| YHL024W | 8.35E-04 |
| YOR161C | 1.99E-05 |
| YCR061W | 9.69E-04 |
| YNR009W | 5.75E-04 |
| YPL279C | 4.22E-06 |
| YOR287C | 7.22E-05 |
| YGR234W | 1.14E-04 |
| YBR085W | 2.06E-04 |
| YDL205C | 5.40E-04 |
| YNL173C | 5.01E-06 |
| YJL218W | 3.85E-04 |
| YFR015C | 2.61E-04 |
| YJR048W | 9.87E-04 |
| YPL092W | 2.35E-04 |
| YDR481C | 7.65E-05 |

Table S1. (Continued).

| | |
|-----------|----------|
| YMR303C | 3.03E-04 |
| YOR101W | 2.73E-05 |
| YLR413W | 6.03E-05 |
| YPL189C-A | 8.63E-04 |
| YLL061W | 3.05E-04 |
| YHL026C | 2.91E-04 |
| YAL067C | 9.16E-04 |
| YPR002W | 4.00E-05 |
| YJR147W | 2.92E-04 |
| YER187W | 9.62E-05 |
| YOL136C | 1.79E-05 |
| YLR063W | 4.84E-04 |
| YIL011W | 6.87E-04 |
| YGL035C | 2.53E-04 |
| YNL112W | 6.21E-04 |
| YNL142W | 8.60E-05 |
| YGL162W | 5.92E-04 |
| YLR130C | 3.12E-05 |
| YDR384C | 1.68E-04 |
| YEL039C | 9.67E-05 |
| YBR069C | 6.84E-05 |
| YLL055W | 3.41E-04 |
| YGR243W | 7.60E-04 |
| YER053C-A | 9.16E-04 |
| YOL155C | 1.43E-06 |
| YNL065W | 4.85E-04 |
| YBL029W | 2.92E-05 |
| YBL042C | 1.32E-04 |
| YOR348C | 3.74E-04 |
| YLR267W | 8.46E-04 |
| YGR286C | 1.04E-04 |
| YAR068W | 4.47E-05 |
| YJL212C | 3.33E-06 |
| YJL170C | 6.83E-04 |
| YDR277C | 2.90E-05 |
| YBR050C | 2.42E-04 |
| YBR092C | 6.87E-06 |
| YGL255W | 1.44E-05 |
| YHR092C | 1.06E-05 |
| YKR075C | 5.41E-05 |
| YHR214C-D | 6.50E-04 |
| YOL154W | 1.94E-04 |
| YOR378W | 1.30E-05 |
| YOR100C | 2.30E-04 |
| YPR194C | 1.30E-06 |

Table S2. Aeration-significant genes whose expression levels were significantly changed ($P < 0.001$) in response to oxygen limitation.

| ID | Adj. P-value |
|-----------|--------------|
| YML037C | 2.27E-04 |
| YOL084W | 2.29E-04 |
| YDL222C | 5.17E-04 |
| YLR108C | 9.88E-05 |
| YDR223W | 5.96E-04 |
| YJL108C | 3.46E-04 |
| YFR035C | 4.10E-05 |
| YCL001W-A | 7.65E-04 |
| YOL101C | 5.61E-05 |
| YDR317W | 1.33E-04 |
| YBR148W | 6.54E-04 |
| YGR035W-A | 8.39E-04 |
| YOR365C | 6.19E-05 |
| YNL036W | 4.78E-07 |
| YGR240C-A | 6.14E-04 |
| YKR053C | 8.00E-04 |
| YLL042C | 1.55E-04 |
| YIR015W | 4.88E-04 |
| YIR028W | 5.11E-04 |
| YGR142W | 1.75E-04 |
| YOL162W | 3.72E-04 |
| YLL055W | 9.68E-04 |
| YLR411W | 1.95E-04 |
| YOR349W | 3.39E-05 |
| YPL192C | 5.09E-04 |
| YGL051W | 1.05E-04 |
| YPR193C | 9.53E-05 |
| YLR024C | 1.79E-04 |
| YDR009W | 5.71E-04 |
| YJL056C | 1.61E-04 |
| YBR244W | 2.70E-04 |
| YJL106W | 7.07E-04 |
| YCL021W-A | 7.45E-04 |
| YLR174W | 6.42E-04 |
| YDR273W | 9.74E-04 |
| YOL151W | 1.62E-04 |
| YJL132W | 3.37E-05 |
| YPL258C | 3.73E-04 |
| YGR131W | 4.81E-04 |
| YJR039W | 6.97E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YOL105C | 4.11E-04 |
| YMR190C | 4.78E-04 |
| YCR106W | 5.17E-04 |
| YCR020C | 8.72E-04 |
| YDR144C | 1.14E-05 |
| YOL013W-B | 6.89E-04 |
| YPR026W | 2.27E-04 |
| YPL174C | 7.24E-04 |
| YEL023C | 3.04E-04 |
| YFL010W-A | 1.42E-05 |
| YDL206W | 9.91E-05 |
| YOL113W | 1.29E-04 |
| YLR084C | 5.84E-04 |
| YBR150C | 7.29E-04 |
| YMR287C | 8.11E-04 |
| YJL206C | 1.10E-04 |
| YOL164W | 5.16E-04 |
| YHR099W | 7.31E-04 |
| YJL163C | 5.79E-05 |
| YGR043C | 1.06E-04 |
| YLR424W | 1.80E-04 |
| YJR036C | 2.12E-04 |
| YHR171W | 3.48E-04 |
| YPL016W | 9.23E-04 |
| YKL161C | 7.02E-04 |
| YLR138W | 5.50E-04 |
| YBR020W | 6.17E-05 |
| YER164W | 8.56E-04 |
| YGR188C | 8.80E-04 |
| YIR031C | 3.70E-04 |
| YGL176C | 2.72E-04 |
| YGR014W | 9.91E-04 |
| YPL024W | 5.77E-05 |
| YHL030W | 4.70E-04 |
| YPR002W | 5.13E-04 |
| YHL036W | 9.25E-04 |
| YOR109W | 4.67E-04 |
| YIR033W | 3.36E-04 |
| YDL239C | 8.57E-04 |
| YOR249C | 1.92E-04 |
| YDR334W | 2.30E-05 |
| YPR121W | 1.39E-04 |
| YNL008C | 2.23E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YBR068C | 2.36E-04 |
| YML059C | 1.36E-04 |
| YKR091W | 2.72E-04 |
| YKL149C | 1.08E-04 |
| YKL105C | 3.34E-04 |
| YOR161C | 1.77E-04 |
| YIL140W | 1.69E-04 |
| YBR133C | 5.45E-04 |
| YHR155W | 8.48E-05 |
| YPL109C | 3.48E-05 |
| YPL005W | 2.99E-04 |
| YHR120W | 6.35E-04 |
| YER173W | 8.62E-05 |
| YGL197W | 9.21E-04 |
| YJL154C | 1.23E-04 |
| YJL093C | 5.97E-04 |
| YDR104C | 6.18E-04 |
| YKR031C | 2.80E-04 |
| YNL273W | 7.33E-04 |
| YKR027W | 2.71E-04 |
| YNL029C | 7.55E-04 |
| YDL085W | 8.35E-04 |
| YAL058W | 3.23E-04 |
| YDR078C | 6.68E-05 |
| YOL032W | 1.71E-04 |
| YMR013C | 3.94E-05 |
| YDL020C | 2.50E-04 |
| YOL086W-A | 1.88E-04 |
| YIL146C | 5.01E-04 |
| YNL329C | 3.75E-04 |
| YER066W | 6.46E-04 |
| YBR235W | 3.32E-04 |
| YMR275C | 3.04E-04 |
| YDL200C | 8.04E-05 |
| YLR454W | 1.61E-04 |
| YAR019C | 5.99E-04 |
| YDR150W | 5.95E-05 |
| YDR128W | 6.68E-05 |
| YDR479C | 3.53E-04 |
| YIL017C | 2.40E-05 |
| YOR054C | 8.72E-04 |
| YIL147C | 7.79E-05 |
| YDR533C | 4.42E-04 |

Table S2. (Continued).

| | |
|---------|----------|
| YLR103C | 1.55E-04 |
| YDR027C | 1.88E-04 |
| YPL150W | 2.98E-04 |
| YGL006W | 2.62E-04 |
| YMR145C | 2.50E-04 |
| YML051W | 3.56E-04 |
| YIL149C | 2.73E-04 |
| YLR004C | 5.42E-04 |
| YPL120W | 8.40E-05 |
| YMR119W | 4.06E-04 |
| YGR217W | 1.84E-05 |
| YDR436W | 2.93E-04 |
| YJL155C | 6.84E-04 |
| YLR383W | 1.83E-04 |
| YDR239C | 5.21E-04 |
| YDR520C | 8.31E-04 |
| YGL027C | 3.78E-04 |
| YGL247W | 8.25E-04 |
| YBL088C | 2.63E-05 |
| YFL034W | 6.83E-04 |
| YKL165C | 8.80E-06 |
| YDR313C | 3.95E-04 |
| YOR336W | 1.62E-04 |
| YDR490C | 8.69E-04 |
| YPR117W | 1.14E-04 |
| YPL222W | 4.90E-04 |
| YDR118W | 1.84E-04 |
| YOR328W | 8.18E-05 |
| YIL117C | 7.34E-04 |
| YBL019W | 8.32E-04 |
| YMR036C | 2.85E-04 |
| YOR219C | 6.46E-04 |
| YFL041W | 2.51E-04 |
| YKL171W | 6.86E-04 |
| YDR131C | 6.27E-04 |
| YKR010C | 8.56E-04 |
| YAL051W | 2.12E-05 |
| YDR135C | 1.14E-04 |
| YNL249C | 6.20E-04 |
| YGR196C | 6.56E-04 |
| YJR096W | 3.61E-04 |
| YIL063C | 1.93E-04 |
| YOR076C | 6.44E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YBR275C | 2.64E-04 |
| YKL090W | 8.45E-04 |
| YBR074W | 1.39E-04 |
| YMR162C | 6.44E-04 |
| YGR258C | 4.56E-04 |
| YBR081C | 1.74E-04 |
| YMR160W | 1.27E-04 |
| YGL160W | 8.92E-04 |
| YLR371W | 3.70E-04 |
| YJL112W | 2.72E-04 |
| YFL025C | 5.01E-04 |
| YGL229C | 5.78E-04 |
| YKL012W | 7.60E-05 |
| YPL085W | 7.34E-05 |
| YMR054W | 5.49E-05 |
| YLL048C | 1.39E-04 |
| YDR407C | 1.29E-04 |
| YMR025W | 3.25E-04 |
| YMR257C | 1.40E-04 |
| YBL075C | 3.57E-04 |
| YOR321W | 9.49E-04 |
| YIL036W | 5.75E-04 |
| YEL059C-A | 2.90E-05 |
| YLR006C | 6.11E-04 |
| YOL048C | 5.58E-04 |
| YGL233W | 4.96E-04 |
| YLR417W | 4.74E-04 |
| YLR442C | 2.69E-04 |
| YKR003W | 3.42E-05 |
| YNL192W | 7.51E-04 |
| YCR011C | 6.50E-04 |
| YNL251C | 8.03E-04 |
| YNL040W | 1.53E-04 |
| YEL025C | 8.38E-04 |
| YLR095C | 2.77E-04 |
| YMR060C | 3.08E-04 |
| YGL023C | 4.12E-05 |
| YNL291C | 5.72E-04 |
| YJR059W | 1.97E-04 |
| YJL165C | 5.78E-04 |
| YPR091C | 8.72E-04 |
| YPR155C | 7.23E-05 |
| YGL062W | 2.45E-04 |

Table S2. (Continued).

| | |
|---------|----------|
| YLR071C | 5.77E-04 |
| YOL063C | 5.39E-04 |
| YBR170C | 1.84E-04 |
| YJR046W | 2.34E-04 |
| YAL002W | 3.14E-04 |
| YIL139C | 4.35E-04 |
| YER007W | 4.54E-04 |
| YLR324W | 5.36E-04 |
| YBR281C | 3.86E-04 |
| YLR389C | 2.48E-04 |
| YHR028C | 6.88E-04 |
| YIR002C | 5.93E-04 |
| YFR048W | 3.94E-04 |
| YGL133W | 1.91E-04 |
| YLR207W | 7.36E-04 |
| YMR086W | 2.61E-04 |
| YOR299W | 4.95E-04 |
| YKL124W | 1.70E-04 |
| YLR189C | 6.61E-04 |
| YPR029C | 1.12E-04 |
| YMR192W | 8.28E-04 |
| YJL062W | 7.99E-04 |
| YOL081W | 3.99E-04 |
| YFR013W | 3.98E-04 |
| YBR229C | 1.81E-04 |
| YML118W | 5.56E-04 |
| YAL026C | 6.99E-04 |
| YPL221W | 2.97E-04 |
| YPL176C | 1.45E-04 |
| YHR017W | 5.89E-04 |
| YDL215C | 9.11E-04 |
| YPL240C | 8.06E-04 |
| YNL293W | 8.57E-04 |
| YDR294C | 2.72E-04 |
| YDL044C | 1.47E-04 |
| YHR030C | 3.82E-04 |
| YOR086C | 4.17E-04 |
| YNL241C | 3.83E-04 |
| YKL010C | 9.35E-04 |
| YKL015W | 4.33E-04 |
| YFR031C | 3.65E-04 |
| YIL108W | 6.88E-04 |
| YMR126C | 9.17E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YOR034C-A | 8.69E-04 |
| YDL174C | 5.51E-05 |
| YBR227C | 3.19E-04 |
| YPL097W | 4.58E-04 |
| YMR176W | 1.02E-04 |
| YBR003W | 9.25E-04 |
| YGL067W | 9.44E-05 |
| YNL212W | 8.17E-06 |
| YFR038W | 1.91E-04 |
| YNL157W | 6.96E-04 |
| YHR188C | 7.83E-04 |
| YPL100W | 3.35E-04 |
| YGL010W | 3.63E-04 |
| YLR135W | 2.26E-04 |
| YNR055C | 8.51E-04 |
| YNR041C | 6.18E-04 |
| YGL057C | 5.21E-04 |
| YLL040C | 9.60E-04 |
| YFL009W | 4.24E-04 |
| YDR242W | 9.81E-04 |
| YNL215W | 4.85E-04 |
| YPL115C | 6.91E-05 |
| YBR163W | 9.86E-04 |
| YAL001C | 1.06E-04 |
| YMR238W | 2.06E-04 |
| YDL013W | 4.75E-04 |
| YGR210C | 8.84E-04 |
| YLR188W | 1.11E-04 |
| YDR307W | 3.75E-04 |
| YKL039W | 1.59E-04 |
| YGR157W | 8.93E-05 |
| YBL067C | 3.81E-04 |
| YDR434W | 1.66E-05 |
| YGL167C | 1.22E-04 |
| YDR227W | 9.80E-04 |
| YGL141W | 5.09E-04 |
| YIL005W | 6.45E-05 |
| YLR259C | 4.48E-04 |
| YNL118C | 9.79E-04 |
| YGL086W | 9.19E-04 |
| YDL164C | 9.93E-04 |
| YLR109W | 1.94E-04 |
| YHR098C | 1.41E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YJR040W | 5.12E-04 |
| YOR371C | 4.16E-04 |
| YMR087W | 4.14E-04 |
| YMR026C | 4.36E-04 |
| YBL105C | 1.41E-04 |
| YGR140W | 4.00E-04 |
| YLR044C | 4.22E-04 |
| YML001W | 7.88E-04 |
| YER125W | 2.39E-04 |
| YDR155C | 4.03E-04 |
| YJR024C | 8.90E-04 |
| YDR224C | 4.86E-04 |
| YLR180W | 9.48E-04 |
| YGL105W | 9.31E-04 |
| YKL096W-A | 7.37E-05 |
| YGR155W | 2.69E-04 |
| YIL069C | 1.30E-05 |
| YNL307C | 7.33E-04 |
| YEL027W | 3.01E-04 |
| YHR181W | 1.85E-04 |
| YJL183W | 3.13E-05 |
| YNL004W | 4.02E-04 |
| YBR162C | 7.37E-04 |
| YLR150W | 5.46E-04 |
| YNL244C | 8.33E-04 |
| YDR502C | 3.56E-04 |
| YBR071W | 6.33E-06 |
| YER052C | 9.67E-04 |
| YOR157C | 5.42E-04 |
| YMR152W | 2.83E-04 |
| YOR247W | 8.74E-04 |
| YBR078W | 1.46E-05 |
| YNL001W | 4.92E-04 |
| YBR177C | 8.67E-04 |
| YPR165W | 8.26E-05 |
| YBR265W | 3.79E-04 |
| YJL001W | 8.69E-04 |
| YHR007C | 4.67E-05 |
| YEL017W | 2.27E-05 |
| YPL031C | 8.90E-04 |
| YGR262C | 3.74E-04 |
| YPL066W | 4.15E-04 |
| YCR092C | 1.87E-04 |

Table S2. (Continued).

| | |
|---------|----------|
| YJR010W | 9.39E-04 |
| YLR192C | 7.12E-05 |
| YGR279C | 5.75E-05 |
| YLR008C | 1.54E-04 |
| YFL005W | 5.16E-04 |
| YCR034W | 6.39E-04 |
| YDR404C | 7.37E-04 |
| YBR067C | 3.04E-04 |
| YDR397C | 6.26E-05 |
| YKL117W | 7.06E-04 |
| YNL220W | 6.52E-04 |
| YBR109C | 8.81E-05 |
| YDR487C | 3.49E-04 |
| YDL226C | 9.45E-04 |
| YAL009W | 2.20E-05 |
| YML085C | 2.70E-04 |
| YJL171C | 5.00E-05 |
| YOR332W | 4.15E-05 |
| YOL058W | 5.75E-04 |
| YIL118W | 8.81E-04 |
| YOL125W | 2.78E-04 |
| YGR026W | 2.46E-04 |
| YOR089C | 7.30E-04 |
| YBR127C | 2.81E-04 |
| YDL111C | 6.24E-04 |
| YMR235C | 3.83E-04 |
| YER099C | 6.82E-04 |
| YOR317W | 3.14E-04 |
| YER120W | 3.14E-04 |
| YCR077C | 3.65E-05 |
| YDR073W | 2.35E-04 |
| YKL040C | 5.11E-05 |
| YDR077W | 5.68E-04 |
| YGR086C | 5.58E-04 |
| YPR082C | 1.43E-04 |
| YDR099W | 1.23E-04 |
| YOR279C | 8.12E-04 |
| YAR015W | 3.47E-04 |
| YHR013C | 5.39E-04 |
| YPL211W | 3.60E-04 |
| YGL128C | 4.28E-04 |
| YNL010W | 7.46E-04 |
| YDR245W | 7.75E-04 |

Table S2. (Continued).

| | |
|---------|----------|
| YDR174W | 9.71E-04 |
| YDL166C | 8.68E-04 |
| YLR129W | 2.83E-06 |
| YDR092W | 1.51E-04 |
| YPR041W | 3.87E-04 |
| YMR177W | 6.31E-05 |
| YOR303W | 1.30E-04 |
| YDR075W | 8.04E-06 |
| YLR244C | 8.73E-04 |
| YIR037W | 2.97E-04 |
| YGR207C | 4.91E-04 |
| YBR271W | 9.17E-04 |
| YPR113W | 5.17E-04 |
| YPR075C | 3.64E-04 |
| YOL008W | 3.29E-04 |
| YNL173C | 8.81E-04 |
| YNL151C | 7.43E-04 |
| YGL087C | 6.08E-04 |
| YPL129W | 9.82E-04 |
| YGR180C | 3.12E-05 |
| YIL114C | 6.01E-04 |
| YBR029C | 4.89E-05 |
| YGR020C | 6.41E-04 |
| YGL120C | 5.63E-04 |
| YMR210W | 1.39E-04 |
| YCL012C | 3.20E-04 |
| YOR039W | 2.93E-04 |
| YBR171W | 3.48E-04 |
| YEL051W | 5.41E-06 |
| YIL034C | 9.80E-05 |
| YFR053C | 1.11E-04 |
| YMR079W | 1.67E-04 |
| YOL147C | 3.66E-04 |
| YGR078C | 2.72E-04 |
| YDR354W | 7.07E-04 |
| YDL170W | 6.69E-04 |
| YBR002C | 6.91E-04 |
| YDR368W | 3.99E-05 |
| YDL014W | 1.98E-04 |
| YLR262C | 9.98E-04 |
| YML078W | 7.92E-05 |
| YBR249C | 2.60E-04 |
| YGL219C | 5.08E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YFL028C | 8.96E-04 |
| YCR035C | 2.62E-04 |
| YKL166C | 8.45E-04 |
| YNL300W | 1.74E-04 |
| YKL007W | 3.89E-05 |
| YNR061C | 3.33E-04 |
| YEL047C | 5.63E-05 |
| YDL123W | 2.19E-04 |
| YLR420W | 3.63E-04 |
| YCR087C-A | 1.01E-04 |
| YDR299W | 4.20E-04 |
| YPR063C | 6.04E-04 |
| YDR054C | 2.07E-04 |
| YBR035C | 8.71E-05 |
| YNL113W | 1.66E-04 |
| YDR280W | 6.72E-04 |
| YCL050C | 5.51E-05 |
| YIL154C | 4.36E-04 |
| YCL063W | 8.64E-04 |
| YNL058C | 2.34E-04 |
| YOR145C | 4.08E-05 |
| YML053C | 5.17E-04 |
| YNR018W | 9.36E-04 |
| YDR322W | 1.99E-04 |
| YIR026C | 3.94E-04 |
| YGL169W | 7.82E-04 |
| YKL159C | 2.20E-05 |
| YFR007W | 7.33E-04 |
| YJR056C | 3.38E-04 |
| YPR143W | 1.43E-04 |
| YHR187W | 4.81E-05 |
| YMR272C | 9.74E-04 |
| YJL217W | 3.33E-04 |
| YGL018C | 3.22E-04 |
| YPL117C | 6.03E-04 |
| YOR283W | 6.28E-04 |
| YNL211C | 7.61E-04 |
| YLR201C | 8.27E-05 |
| YHR175W | 4.47E-04 |
| YGR095C | 5.21E-07 |
| YMR195W | 6.97E-04 |
| YGR080W | 5.30E-04 |
| YIL083C | 2.28E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YOL030W | 5.97E-04 |
| YOR252W | 6.62E-04 |
| YLR268W | 8.42E-05 |
| YHR088W | 6.66E-04 |
| YFR008W | 4.69E-05 |
| YPR071W | 6.57E-04 |
| YHR061C | 2.35E-05 |
| YMR030W | 5.10E-04 |
| YJL208C | 4.52E-05 |
| YOR304C-A | 1.53E-04 |
| YFL034C-B | 8.18E-04 |
| YGL058W | 1.14E-04 |
| YJL052W | 1.20E-04 |
| YOL155C | 2.35E-04 |
| YDR055W | 3.33E-04 |
| YKL103C | 6.54E-04 |
| YMR178W | 9.65E-04 |
| YJR103W | 7.76E-05 |
| YER126C | 2.94E-04 |
| YOR213C | 6.20E-05 |
| YOR295W | 6.84E-04 |
| YNR027W | 2.41E-04 |
| YER134C | 9.50E-04 |
| YLR275W | 4.28E-04 |
| YDR345C | 1.38E-07 |
| YLR284C | 1.85E-04 |
| YDL160C | 8.47E-05 |
| YHR052W | 4.03E-05 |
| YOL140W | 1.51E-04 |
| YLR243W | 2.34E-04 |
| YGR158C | 2.43E-04 |
| YOR229W | 5.83E-05 |
| YDR033W | 4.65E-04 |
| YDL043C | 3.23E-05 |
| YNL158W | 1.32E-04 |
| YNR007C | 8.95E-04 |
| YER064C | 7.71E-05 |
| YBR006W | 1.01E-04 |
| YGL029W | 5.90E-04 |
| YLR068W | 4.23E-04 |
| YKL144C | 2.93E-07 |
| YLL025W | 5.12E-05 |
| YGR161C | 9.05E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YLR009W | 3.20E-04 |
| YEL073C | 4.73E-04 |
| YHR167W | 5.98E-04 |
| YCL031C | 6.55E-04 |
| YOR319W | 8.39E-05 |
| YER100W | 5.82E-05 |
| YNL190W | 1.82E-04 |
| YJL122W | 2.63E-04 |
| YOL143C | 3.21E-05 |
| YNL075W | 1.29E-04 |
| YNL264C | 2.91E-04 |
| YOR315W | 2.76E-04 |
| YKL099C | 1.86E-04 |
| YNL301C | 4.49E-04 |
| YHR059W | 2.97E-04 |
| YOR101W | 2.87E-04 |
| YKL068W-A | 3.57E-04 |
| YOR344C | 3.61E-04 |
| YMR011W | 2.01E-04 |
| YCL049C | 5.48E-06 |
| YJL079C | 5.84E-06 |
| YNL111C | 4.29E-04 |
| YGR049W | 5.19E-04 |
| YGR138C | 1.02E-04 |
| YAR028W | 1.17E-04 |
| YOR287C | 2.79E-04 |
| YIL111W | 7.08E-04 |
| YER139C | 7.38E-04 |
| YKL216W | 1.45E-04 |
| YMR271C | 1.14E-05 |
| YGR036C | 8.76E-04 |
| YNL141W | 6.69E-04 |
| YOL136C | 1.32E-04 |

Table S2. (Continued).

| | |
|-----------|----------|
| YGR030C | 3.05E-04 |
| YOR074C | 2.38E-04 |
| YLR363W-A | 1.86E-04 |
| YPL157W | 3.39E-04 |
| YLR407W | 2.46E-04 |
| YBR105C | 1.90E-04 |
| YOL126C | 4.45E-04 |
| YGL209W | 6.07E-04 |
| YHL028W | 1.86E-04 |
| YJR055W | 3.77E-06 |
| YDR297W | 7.47E-06 |
| YBR157C | 6.51E-05 |
| YBR085W | 1.54E-04 |
| YOR302W | 4.10E-05 |
| YBR072W | 2.89E-04 |
| YJL218W | 2.16E-04 |
| YDR044W | 1.71E-05 |
| YDR277C | 4.32E-04 |
| YBR054W | 5.61E-04 |
| YGR035C | 5.64E-04 |
| YPL095C | 1.87E-05 |
| YHR092C | 1.61E-04 |
| YER011W | 1.91E-04 |
| YBL029W | 3.86E-05 |
| YDL039C | 7.92E-04 |
| YAR035C-A | 8.23E-04 |
| YOR338W | 8.32E-05 |
| YMR319C | 6.76E-05 |
| YKR075C | 1.26E-04 |
| YJR047C | 2.10E-04 |
| YIR042C | 3.23E-05 |
| YOR032C | 3.22E-04 |
| YDL038C | 1.10E-04 |

Table S3. Interaction-significant genes whose expression levels were significantly changed ($P < 0.001$) in response to the interactive effect of plasmid bearing and oxygen limitation.

| ID | Adj. P-value |
|-----------|--------------|
| YAL009W | 5.59E-05 |
| YBL029W | 6.66E-04 |
| YBL033C | 2.95E-04 |
| YBR054W | 6.69E-04 |
| YBR067C | 9.10E-04 |
| YBR071W | 7.01E-07 |
| YBR269C | 2.17E-04 |
| YCL049C | 1.10E-04 |
| YDL038C | 9.41E-04 |
| YDL227C | 3.76E-04 |
| YDR075W | 1.45E-04 |
| YDR079W | 9.72E-04 |
| YDR141C | 8.27E-04 |
| YDR189W | 2.70E-04 |
| YDR277C | 2.53E-04 |
| YDR299W | 7.14E-04 |
| YDR345C | 2.10E-05 |
| YDR434W | 2.51E-04 |
| YEL017W | 6.37E-05 |
| YEL039C | 3.87E-04 |
| YEL051W | 3.65E-04 |
| YER053C-A | 1.96E-04 |
| YER143W | 3.50E-04 |
| YGL055W | 2.86E-04 |
| YGL158W | 9.43E-04 |
| YGR043C | 7.02E-04 |
| YGR138C | 2.19E-04 |
| YGR140W | 1.98E-04 |
| YGR215W | 2.57E-05 |
| YGR217W | 7.72E-04 |
| YHL028W | 7.78E-05 |
| YHR098C | 4.10E-04 |
| YHR181W | 5.88E-04 |
| YIL069C | 9.75E-05 |

Table S3. (Continued).

| | |
|---------|----------|
| YIL114C | 6.13E-04 |
| YIL119C | 8.43E-04 |
| YJL183W | 5.44E-05 |
| YJL196C | 6.47E-04 |
| YJL217W | 3.05E-04 |
| YJR024C | 2.34E-04 |
| YKL007W | 9.79E-04 |
| YKL040C | 6.38E-04 |
| YKL074C | 5.96E-04 |
| YKL085W | 2.03E-04 |
| YKL159C | 2.05E-04 |
| YKL165C | 4.68E-05 |
| YKR075C | 2.12E-04 |
| YLR118C | 9.28E-05 |
| YLR129W | 9.52E-06 |
| YLR224W | 7.31E-04 |
| YML027W | 4.75E-04 |
| YML030W | 9.85E-04 |
| YMR011W | 2.01E-05 |
| YMR026C | 5.96E-05 |
| YMR087W | 2.34E-04 |
| YMR271C | 7.79E-04 |
| YNL036W | 2.91E-05 |
| YNL040W | 8.72E-04 |
| YNL058C | 5.99E-04 |
| YNL100W | 9.22E-05 |
| YNL118C | 6.16E-04 |
| YNL234W | 8.68E-04 |
| YNL289W | 9.42E-04 |
| YOL123W | 7.40E-04 |
| YOL136C | 4.61E-04 |
| YOR131C | 8.21E-04 |
| YOR187W | 5.67E-04 |
| YOR236W | 6.19E-04 |
| YOR312C | 1.10E-04 |
| YPL052W | 3.06E-04 |
| YPL085W | 3.90E-04 |
| YPR002W | 6.54E-04 |

Table S4. Enriched GO biological process terms ($P < 0.01$) of the upregulated strain-significant genes.

| Gene Ontology term | Corrected P-value |
|---|-------------------|
| Fungal-type cell wall organization or biogenesis | 3.04E-10 |
| Cell wall organization or biogenesis | 8.07E-09 |
| Single-organism process | 9.13E-09 |
| External encapsulating structure organization | 1.61E-06 |
| Cell wall organization | 1.61E-06 |
| Fungal-type cell wall organization | 4.09E-06 |
| Single-organism catabolic process | 5.72E-06 |
| Response to extracellular stimulus | 3.47E-05 |
| Catabolic process | 4.56E-05 |
| Response to external stimulus | 7.98E-05 |
| Fungal-type cell wall biogenesis | 0.00014 |
| Cellular response to extracellular stimulus | 0.00016 |
| Cellular response to external stimulus | 0.00016 |
| Cellular catabolic process | 0.00033 |
| Response to chemical | 0.00053 |
| Cell wall biogenesis | 0.00087 |
| Response to stress | 0.00107 |
| Response to endoplasmic reticulum stress | 0.00135 |
| ER-associated ubiquitin-dependent protein catabolic process | 0.00206 |
| ERAD pathway | 0.00206 |
| Carbohydrate metabolic process | 0.00246 |
| Single-organism cellular process | 0.00249 |
| Organelle disassembly | 0.00275 |
| Response to nutrient levels | 0.00366 |
| Single-organism metabolic process | 0.00628 |
| Cellular response to stress | 0.0077 |
| Actin cytoskeleton organization | 0.00794 |
| Organic substance catabolic process | 0.00958 |

Table S5. Enriched GO biological process terms ($P < 0.01$) of the downregulated strain-significant genes.

| Gene Ontology term | Corrected P-value |
|---|-------------------|
| Ribosome biogenesis | 1.23E-24 |
| Ribonucleoprotein complex biogenesis | 1.97E-21 |
| rRNA metabolic process | 3.10E-19 |
| rRNA processing | 4.62E-19 |
| ncRNA processing | 7.43E-18 |
| ncRNA metabolic process | 6.90E-17 |
| RNA processing | 3.43E-13 |
| Cellular process | 2.67E-12 |
| Ribosomal small subunit biogenesis | 6.36E-11 |
| Maturation of SSU-rRNA from tricistronic rRNA transcript (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 3.35E-10 |
| Maturation of 5.8S rRNA | 4.56E-10 |
| Maturation of 5.8S rRNA from tricistronic rRNA transcript (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 4.56E-10 |
| Cellular component biogenesis | 2.27E-09 |
| Maturation of SSU-rRNA | 3.22E-09 |
| Organic cyclic compound metabolic process | 1.73E-08 |
| Nitrogen compound metabolic process | 3.74E-08 |
| Heterocycle metabolic process | 4.72E-08 |
| Cellular aromatic compound metabolic process | 8.78E-08 |
| Ribosomal large subunit biogenesis | 1.06E-07 |
| Nucleobase-containing compound metabolic process | 1.62E-07 |
| Single-organism biosynthetic process | 1.27E-06 |
| Cleavage involved in rRNA processing | 3.04E-06 |
| Cellular nitrogen compound metabolic process | 4.65E-05 |
| RNA metabolic process | 6.24E-05 |
| Cellular component organization or biogenesis | 8.97E-05 |
| Nucleic acid metabolic process | 0.00015 |
| Cellular metabolic process | 0.00036 |
| Transmembrane transport | 0.00054 |
| Primary metabolic process | 0.00057 |
| Maturation of LSU-rRNA from tricistronic rRNA transcript (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 0.00068 |
| Endonucleolytic cleavage in ITS1 to separate SSU-rRNA from 5.8S rRNA and LSU-rRNA from tricistronic rRNA transcript (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 0.00097 |
| Organic substance metabolic process | 0.00116 |
| Endonucleolytic cleavage to generate mature 5'-end of SSU-rRNA from (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 0.00217 |
| Metabolic process | 0.00217 |
| Nucleic acid phosphodiester bond hydrolysis | 0.00267 |
| RNA phosphodiester bond hydrolysis | 0.00278 |
| rRNA 5'-end processing | 0.00298 |
| ncRNA 5'-end processing | 0.00298 |
| Maturation of LSU-rRNA | 0.00394 |
| Single-organism cellular process | 0.00398 |
| RNA 5'-end processing | 0.00403 |
| Endonucleolytic cleavage involved in rRNA processing | 0.00446 |
| Endonucleolytic cleavage of tricistronic rRNA transcript (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 0.00446 |
| Nuclear polyadenylation-dependent mRNA catabolic process | 0.00868 |
| Polyadenylation-dependent mRNA catabolic process | 0.00868 |
| Endonucleolytic cleavage in 5'-ETS of tricistronic rRNA transcript (SSU-rRNA, 5.8S rRNA, LSU-rRNA) | 0.00942 |

Table S6. Enriched GO biological process terms ($P < 0.01$) of the upregulated aeration-significant genes.

| Gene Ontology term | Corrected P-value |
|--|-------------------|
| Single-organism process | 3.58E-07 |
| Single-organism cellular process | 4.77E-07 |
| Cellular response to stimulus | 2.81E-05 |
| Response to stimulus | 3.36E-05 |
| Catabolic process | 0.00028 |
| Biological regulation | 0.0003 |
| Cellular catabolic process | 0.00142 |
| Organic substance catabolic process | 0.00164 |
| Regulation of biological quality | 0.00181 |
| Cellular response to stress | 0.00309 |
| Cellular process | 0.00705 |
| Single-organism localization | 0.00718 |
| Cellular macromolecule catabolic process | 0.00885 |

Table S7. Enriched GO biological process terms ($P < 0.01$) of the downregulated aeration-significant genes.

| Gene Ontology term | Corrected P-value |
|--|-------------------|
| Small molecule metabolic process | 7.74E-05 |
| Single-organism biosynthetic process | 0.00013 |
| Organic cyclic compound metabolic process | 0.00091 |
| Heterocycle metabolic process | 0.00574 |
| Cellular aromatic compound metabolic process | 0.00706 |
| Lipid biosynthetic process | 0.00989 |

Table S8. GO biological processes that the interactive significant genes annotated to in aerated conditions were compared to microaerated conditions.

| Interaction effect | Reference strain | |
|------------------------------------|---|--|
| | GO term GO ID | Genes annotated to the GO term |
| UP aerated vs. microaerated | Mitochondrion organization GO:0007005 | FMP21, PET100, RSM27, YML030W, YNL100W |
| | Lipid metabolic process GO:0006629 | ELO1, GPI17, MCD4, PDH1, YLR118C |
| | Protein complex biogenesis GO:0070271 | FMP21, PET100, SEC16, SFB3, YML030W |
| | Cell wall organization or biogenesis GO:0071554 | MCD4, RPI1, WSC4 |
| | Monocarboxylic acid metabolic process GO:0032787 | ELO1, PDH1, YLR118C |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | CYC7, YGR043C, YJR024C |
| | Golgi vesicle transport GO:0048193 | SEC16, SFB3 |
| | Cellular amino acid metabolic process GO:0006520 | YJR024C, YNL040W |
| | Generation of precursor metabolites and energy GO:0006091 | CYC7, MDH1 |
| | Response to oxidative stress GO:0006979 | NCE103, YGR043C |
| | Vesicle organization GO:0016050 | SEC16, SFB3 |
| | Carbohydrate metabolic process GO:0005975 | MDH1, YGR043C |
| | Cellular respiration GO:0045333 | CYC7, MDH1 |
| | Cofactor metabolic process GO:0051186 | YGR043C, YJR024C |
| | Response to chemical GO:0042221 | NCE103, YGR043C |
| | Ion transport GO:0006811 | CCH1, MCD4 |
| | Transcription from RNA polymerase II promoter GO:0006366 | RPI1, YOX1 |
| | Protein lipidation GO:0006497 | GPI17, MCD4 |
| | Regulation of protein modification process GO:0031399 | PCL1 |
| | Protein targeting GO:0006605 | WSC4 |
| | Cytoplasmic translation GO:0002181 | RPL20B |
| | Protein phosphorylation GO:0006468 | PCL1 |
| | Response to heat GO:0009408 | WSC4 |
| | Nucleobase-containing compound transport GO:0015931 | MCD4 |
| | tRNA aminoacylation for protein translation GO:0006418 | YNL040W |
| | Cytoskeleton organization GO:0007010 | PCL1 |
| | RNA splicing GO:0008380 | YMR087W |
| | Regulation of cell cycle GO:0051726 | PCL1 |
| | DNA recombination GO:0006310 | HO |
| | Mitotic cell cycle GO:0000278 | YOX1 |
| | Regulation of transport GO:0051049 | CCH1 |
| | Mitochondrial translation GO:0032543 | RSM27 |
| | Signaling GO:0023052 | RPI1 |
| | RNA catabolic process GO:0006401 | HRP1 |
| mRNA processing GO:0006397 | HRP1 | |
| Transmembrane transport GO:0055085 | CCH1 | |
| tRNA processing GO:0008033 | YMR087W | |
| Response to starvation GO:0042594 | PCL1 | |
| Protein maturation GO:0051604 | HO | |

Table S8. (Continued).

| | | |
|--|---|-------------------------------------|
| DOWN Aerated vs. microaerated | Transmembrane transport GO:0055085 | HXT2, HXT3, PEX12, POR2, TPO2, VMA8 |
| | Regulation of organelle organization GO:0033043 | CAP1, PPH3, RCK1, SLY1 |
| | Protein complex biogenesis GO:0070271 | CAP1, CBF2, DCP2, SLY1 |
| | Proteolysis involved in cellular protein catabolic process GO:0051603 | DDI1, OAZ1, YLR224W |
| | Golgi vesicle transport GO:0048193 | DOP1, SLY1, SVP26 |
| | rRNA processing GO:0006364 | BFR2, DIP2, RPS24B |
| | Carbohydrate transport GO:0008643 | HXT2, HXT3, MTH1 |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | DFR1, PFK27, URA10 |
| | Ribosomal small subunit biogenesis GO:0042274 | BFR2, DIP2, RPS24B |
| | Carbohydrate metabolic process GO:0005975 | MNN11, PFK27, SVP26 |
| | Signaling GO:0023052 | MTH1, PPH3, RCN1 |
| | Ion transport GO:0006811 | POR2, TPO2, VMA8 |
| | Organelle fission GO:0048285 | PPH3, RCK1 |
| | Organelle assembly GO:0070925 | CBF2, DCP2 |
| | Monocarboxylic acid metabolic process GO:0032787 | OLE1, SPO7 |
| | Cytoskeleton organization GO:0007010 | CAP1, CBF2 |
| | Regulation of cell cycle GO:0051726 | PPH3, RCK1 |
| | Lipid metabolic process GO:0006629 | OLE1, SPO7 |
| | Protein glycosylation GO:0006486 | MNN11, SVP26 |
| | Translational elongation GO:0006414 | OAZ1, RPS24B |
| | Regulation of transport GO:0051049 | POR2, SLY1 |
| | Meiotic cell cycle GO:0051321 | PPH3, RCK1 |
| | Protein modification by small protein conjugation or removal GO:0070647 | PEX12, YLR224W |
| | Protein dephosphorylation GO:0006470 | PPH3, SPO7 |
| | Cofactor metabolic process GO:0051186 | DFR1, PFK27 |
| | mRNA processing GO:0006397 | DCP2, MUD2 |
| | Response to chemical GO:0042221 | PPH3, YLR224W |
| | Cellular ion homeostasis GO:0006873 | NFU1, VMA8 |
| | Nucleus organization GO:0006997 | SPO7 |
| | Regulation of protein modification process GO:0031399 | SPO7 |
| | DNA-templated transcription, initiation GO:0006352 | DCP2 |
| | Cell wall organization or biogenesis GO:0071554 | SVP26 |
| | Peroxisome organization GO:0007031 | PEX12 |
| | Protein targeting GO:0006605 | PEX12 |
| | Vitamin metabolic process GO:0006766 | RIB1 |
| | Cellular amino acid metabolic process GO:0006520 | DFR1 |
| | Cytoplasmic translation GO:0002181 | RPS24B |
| | Protein phosphorylation GO:0006468 | RCK1 |
| | Generation of precursor metabolites and energy GO:0006091 | PFK27 |
| | Nucleobase-containing compound transport GO:0015931 | POR2 |
| | Organelle inheritance GO:0048308 | OLE1 |
| | Mitochondrion organization GO:0007005 | OLE1 |
| | RNA splicing GO:0008380 | MUD2 |
| | DNA recombination GO:0006310 | PPH3 |
| | Mitotic cell cycle GO:0000278 | CBF2 |
| | Chromosome segregation GO:0007059 | CBF2 |
| | Vesicle organization GO:0016050 | SLY1 |
| | Membrane fusion GO:0061025 | SLY1 |
| | Organelle fusion GO:0048284 | SLY1 |
| | Cellular response to DNA damage stimulus GO:0006974 | PPH3 |
| RNA catabolic process GO:0006401 | DCP2 | |
| Cell morphogenesis GO:0000902 | DOP1 | |
| Endosomal transport GO:0016197 | DOP1 | |
| DNA repair GO:0006281 | PPH3 | |
| Sporulation GO:0043934 | SPO7 | |
| Regulation of DNA metabolic process GO:0051052 | PPH3 | |
| Regulation of translation GO:0006417 | OAZ1 | |
| Transcription from RNA polymerase II promoter GO:0006366 | DCP2 | |
| Conjugation GO:0000746 | YDL038C | |
| Exocytosis GO:0006887 | SLY1 | |

Table S8. (Continued).

| Interaction effect | WTPB-G | |
|--|---|--------------------------------|
| | GO term GO ID | Genes annotated to the GO term |
| UP aerated vs. microaerated | Protein complex biogenesis GO:0070271 | CBF2, DCP2, SEC16, SFB3, SLY1 |
| | Golgi vesicle transport GO:0048193 | DOP1, SEC16, SFB3, SLY1 |
| | Lipid metabolic process GO:0006629 | GPI17, MCD4, OLE1, PDH1 |
| | Proteolysis involved in cellular protein catabolic process GO:0051603 | DDI1, OAZ1, YLR224W |
| | Vesicle organization GO:0016050 | SEC16, SFB3, SLY1 |
| | Transmembrane transport GO:0055085 | CCH1, HXT2, PEX12 |
| | Response to chemical GO:0042221 | NCE103, YGR043C, YLR224W |
| | Cellular amino acid metabolic process GO:0006520 | DFR1, YNL040W |
| | Organelle assembly GO:0070925 | CBF2, DCP2 |
| | Response to oxidative stress GO:0006979 | NCE103, YGR043C |
| | Carbohydrate transport GO:0008643 | HXT2, MTH1 |
| | Monocarboxylic acid metabolic process GO:0032787 | OLE1, PDH1 |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | DFR1, YGR043C |
| | Regulation of transport GO:0051049 | CCH1, SLY1 |
| | Regulation of organelle organization GO:0033043 | RCK1, SLY1 |
| | Protein modification by small protein conjugation or removal GO:0070647 | PEX12, YLR224W |
| | Cofactor metabolic process GO:0051186 | DFR1, YGR043C |
| | mRNA processing GO:0006397 | DCP2, MUD2 |
| | Ion transport GO:0006811 | CCH1, MCD4 |
| | Protein lipidation GO:0006497 | GPI17, MCD4 |
| | DNA-templated transcription, initiation GO:0006352 | DCP2 |
| | Organelle fission GO:0048285 | RCK1 |
| | Cell wall organization or biogenesis GO:0071554 | MCD4 |
| | Peroxisome organization GO:0007031 | PEX12 |
| | Protein targeting GO:0006605 | PEX12 |
| | Vitamin metabolic process GO:0006766 | RIB1 |
| | Protein phosphorylation GO:0006468 | RCK1 |
| | Nucleobase-containing compound transport GO:0015931 | MCD4 |
| | Organelle inheritance GO:0048308 | OLE1 |
| | Mitochondrion organization GO:0007005 | OLE1 |
| | tRNA aminoacylation for protein translation GO:0006418 | YNL040W |
| | Cytoskeleton organization GO:0007010 | CBF2 |
| | RNA splicing GO:0008380 | MUD2 |
| | Regulation of cell cycle GO:0051726 | RCK1 |
| | Mitotic cell cycle GO:0000278 | CBF2 |
| | Chromosome segregation GO:0007059 | CBF2 |
| | Translational elongation GO:0006414 | OAZ1 |
| | Membrane fusion GO:0061025 | SLY1 |
| | Organelle fusion GO:0048284 | SLY1 |
| | Meiotic cell cycle GO:0051321 | RCK1 |
| Carbohydrate metabolic process GO:0005975 | YGR043C | |
| Signaling GO:0023052 | MTH1 | |
| RNA catabolic process GO:0006401 | DCP2 | |
| Cell morphogenesis GO:0000902 | DOP1 | |
| Endosomal transport GO:0016197 | DOP1 | |
| Regulation of translation GO:0006417 | OAZ1 | |
| Transcription from RNA polymerase II promoter GO:0006366 | DCP2 | |
| Exocytosis GO:0006887 | SLY1 | |

Table S8. (Continued).

| | | |
|---|---|--|
| DOWN Aerated vs. microaerated | Mitochondrion organization GO:0007005 | FMP21, PET100, RSM27, YML030W, YNL100W |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | CYC7, PFK27, URA10, YJR024C |
| | Carbohydrate metabolic process GO:0005975 | MDH1, MNN11, PFK27, SVP26 |
| | Transmembrane transport GO:0055085 | HXT3, POR2, TPO2, VMA8 |
| | Protein complex biogenesis GO:0070271 | CAP1, FMP21, PET100, YML030W |
| | Cell wall organization or biogenesis GO:0071554 | RPI1, SVP26, WSC4 |
| | Generation of precursor metabolites and energy GO:0006091 | CYC7, MDH1, PFK27 |
| | rRNA processing GO:0006364 | BFR2, DIP2, RPS24B |
| | Monocarboxylic acid metabolic process GO:0032787 | ELO1, PFK27, YLR118C |
| | Lipid metabolic process GO:0006629 | ELO1, SPO7, YLR118C |
| | Ribosomal small subunit biogenesis GO:0042274 | BFR2, DIP2, RPS24B |
| | Signaling GO:0023052 | PPH3, RCN1, RPI1 |
| | Ion transport GO:0006811 | POR2, TPO2, VMA8 |
| | Regulation of protein modification process GO:0031399 | PCL1, SPO7 |
| | Cytoplasmic translation GO:0002181 | RPL20B, RPS24B |
| | Cytoskeleton organization GO:0007010 | CAP1, PCL1 |
| | Regulation of cell cycle GO:0051726 | PCL1, PPH3 |
| | DNA recombination GO:0006310 | HO, PPH3 |
| | Protein glycosylation GO:0006486 | MNN11, SVP26 |
| | Regulation of organelle organization GO:0033043 | CAP1, PPH3 |
| | Protein dephosphorylation GO:0006470 | PPH3, SPO7 |
| | Cellular respiration GO:0045333 | CYC7, MDH1 |
| | Cofactor metabolic process GO:0051186 | PFK27, YJR024C |
| | Cellular ion homeostasis GO:0006873 | NFU1, VMA8 |
| | Transcription from RNA polymerase II promoter GO:0006366 | RPI1, YOX1 |
| | Nucleus organization GO:0006997 | SPO7 |
| | Organelle fission GO:0048285 | PPH3 |
| | Golgi vesicle transport GO:0048193 | SVP26 |
| | Protein targeting GO:0006605 | WSC4 |
| | Cellular amino acid metabolic process GO:0006520 | YJR024C |
| | Protein phosphorylation GO:0006468 | PCL1 |
| | Response to heat GO:0009408 | WSC4 |
| | Nucleobase-containing compound transport GO:0015931 | POR2 |
| | Carbohydrate transport GO:0008643 | HXT3 |
| | RNA splicing GO:0008380 | YMR087W |
| | Mitotic cell cycle GO:0000278 | YOX1 |
| | translational elongation GO:0006414 | RPS24B |
| | Regulation of transport GO:0051049 | POR2 |
| | Meiotic cell cycle GO:0051321 | PPH3 |
| | Mitochondrial translation GO:0032543 | RSM27 |
| Cellular response to DNA damage stimulus GO:0006974 | PPH3 | |
| RNA catabolic process GO:0006401 | HRP1 | |
| mRNA processing GO:0006397 | HRP1 | |
| DNA repair GO:0006281 | PPH3 | |
| Response to chemical GO:0042221 | PPH3 | |
| Sporulation GO:0043934 | SPO7 | |
| Regulation of DNA metabolic process GO:0051052 | PPH3 | |
| tRNA processing GO:0008033 | YMR087W | |
| Response to starvation GO:0042594 | PCL1 | |
| Protein maturation GO:0051604 | HO | |
| Conjugation GO:0000746 | YDL038C | |

Table S9. GO biological processes that the interactive significant genes annotated to in the reference strain were compared to the WTPB-G strain.

| Interaction effect | Aerated conditions | |
|--|---|--------------------------------------|
| | GO term GO ID | Genes annotated to the GO term |
| UP (WTPB-G vs. reference strain) | Protein complex biogenesis GO:0070271 | CAP1, DCP2, FMP21, SEC16, SFB3, SLY1 |
| | Golgi vesicle transport GO:0048193 | DOP1, SEC16, SFB3, SLY1 |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | DFR1, URA10, YGR043C, YJR024C |
| | Proteolysis involved in cellular protein catabolic process GO:0051603 | DDI1, OAZ1, YLR224W |
| | Cellular amino acid metabolic process GO:0006520 | DFR1, YJR024C, YNL040W |
| | Lipid metabolic process GO:0006629 | GPI17, MCD4, OLE1 |
| | Vesicle organization GO:0016050 | SEC16, SFB3, SLY1 |
| | Regulation of organelle organization GO:0033043 | CAP1, RCK1, SLY1 |
| | Cofactor metabolic process GO:0051186 | DFR1, YGR043C, YJR024C |
| | Transmembrane transport GO:0055085 | CCH1, HXT2, PEX12 |
| | Response to chemical GO:0042221 | NCE103, YGR043C, YLR224W |
| | Protein phosphorylation GO:0006468 | PCL1, RCK1 |
| | Mitochondrion organization GO:0007005 | FMP21, OLE1 |
| | Response to oxidative stress GO:0006979 | NCE103, YGR043C |
| | Cytoskeleton organization GO:0007010 | CAP1, PCL1 |
| | RNA splicing GO:0008380 | MUD2, YMR087W |
| | Regulation of cell cycle GO:0051726 | PCL1, RCK1 |
| | Regulation of transport GO:0051049 | CCH1, SLY1 |
| | Protein modification by small protein conjugation or removal GO:0070647 | PEX12, YLR224W |
| | mRNA processing GO:0006397 | DCP2, MUD2 |
| | Ion transport GO:0006811 | CCH1, MCD4 |
| | Protein lipidation GO:0006497 | GPI17, MCD4 |
| | Regulation of protein modification process GO:0031399 | PCL1 |
| | DNA-templated transcription, initiation GO:0006352 | DCP2 |
| | Organelle fission GO:0048285 | RCK1 |
| | Cell wall organization or biogenesis GO:0071554 | MCD4 |
| | Protein targeting GO:0006605 | PEX12 |
| | Peroxisome organization GO:0007031 | PEX12 |
| | Vitamin metabolic process GO:0006766 | RIB1 |
| | Organelle assembly GO:0070925 | DCP2 |
| | Nucleobase-containing compound transport GO:0015931 | MCD4 |
| | Organelle inheritance GO:0048308 | OLE1 |
| | Monocarboxylic acid metabolic process GO:0032787 | OLE1 |
| | Carbohydrate transport GO:0008643 | HXT2 |
| | tRNA aminoacylation for protein translation GO:0006418 | YNL040W |
| | Translational elongation GO:0006414 | OAZ1 |
| | Membrane fusion GO:0061025 | SLY1 |
| | Organelle fusion GO:0048284 | SLY1 |
| | Meiotic cell cycle GO:0051321 | RCK1 |
| | Carbohydrate metabolic process GO:0005975 | YGR043C |
| Signaling GO:0023052 | RCN1 | |
| Endosomal transport GO:0016197 | DOP1 | |
| Cell morphogenesis GO:0000902 | DOP1 | |
| RNA catabolic process GO:0006401 | DCP2 | |
| Regulation of translation GO:0006417 | OAZ1 | |
| Transcription from RNA polymerase II promoter GO:0006366 | DCP2 | |
| tRNA processing GO:0008033 | YMR087W | |
| Response to starvation GO:0042594 | PCL1 | |
| Conjugation GO:0000746 | YDL038C | |
| Exocytosis GO:0006887 | SLY1 | |

Table S9. (Continued).

| | | |
|--|---|---------------------------------|
| DOWN (WTPB-G vs. reference strain) | Mitochondrion organization GO:0007005 | PET100, RSM27, YML030W, YNL100W |
| | Monocarboxylic acid metabolic process GO:0032787 | ELO1, PDH1, PFK27, YLR118C |
| | Lipid metabolic process GO:0006629 | ELO1, PDH1, SPO7, YLR118C |
| | Carbohydrate metabolic process GO:0005975 | MDH1, MNN11, PFK27, SVP26 |
| | Transmembrane transport GO:0055085 | HXT3, POR2, TPO2, VMA8 |
| | Cell wall organization or biogenesis GO:0071554 | RPI1, SVP26, WSC4 |
| | Generation of precursor metabolites and energy GO:0006091 | CYC7, MDH1, PFK27 |
| | rRNA processing GO:0006364 | BFR2, DIP2, RPS24B |
| | Ribosomal small subunit biogenesis GO:0042274 | BFR2, DIP2, RPS24B |
| | Signaling GO:0023052 | MTH1, PPH3, RPI1 |
| | Ion transport GO:0006811 | POR2, TPO2, VMA8 |
| | Protein complex biogenesis GO:0070271 | CBF2, PET100, YML030W |
| | Cytoplasmic translation GO:0002181 | RPL20B, RPS24B |
| | Carbohydrate transport GO:0008643 | HXT3, MTH1 |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | CYC7, PFK27 |
| | DNA recombination GO:0006310 | HO, PPH3 |
| | Mitotic cell cycle GO:0000278 | CBF2, YOX1 |
| | Protein glycosylation GO:0006486 | MNN11, SVP26 |
| | Protein dephosphorylation GO:0006470 | PPH3, SPO7 |
| | Cellular respiration GO:0045333 | CYC7, MDH1 |
| | Cellular ion homeostasis GO:0006873 | NFU1, VMA8 |
| | Transcription from RNA polymerase II promoter GO:0006366 | RPI1, YOX1 |
| | Nucleus organization GO:0006997 | SPO7 |
| | Regulation of protein modification process GO:0031399 | SPO7 |
| | Organelle fission GO:0048285 | PPH3 |
| | Golgi vesicle transport GO:0048193 | SVP26 |
| | Protein targeting GO:0006605 | WSC4 |
| | Organelle assembly GO:0070925 | CBF2 |
| | Response to heat GO:0009408 | WSC4 |
| | Nucleobase-containing compound transport GO:0015931 | POR2 |
| | Cytoskeleton organization GO:0007010 | CBF2 |
| | Regulation of cell cycle GO:0051726 | PPH3 |
| | Chromosome segregation GO:0007059 | CBF2 |
| | Translational elongation GO:0006414 | RPS24B |
| | Regulation of transport GO:0051049 | POR2 |
| | Regulation of organelle organization GO:0033043 | PPH3 |
| | Meiotic cell cycle GO:0051321 | PPH3 |
| | Mitochondrial translation GO:0032543 | RSM27 |
| | Cellular response to DNA damage stimulus GO:0006974 | PPH3 |
| | Cofactor metabolic process GO:0051186 | PFK27 |
| | RNA catabolic process GO:0006401 | HRP1 |
| mRNA processing GO:0006397 | HRP1 | |
| DNA repair GO:0006281 | PPH3 | |
| Response to chemical GO:0042221 | PPH3 | |
| Sporulation GO:0043934 | SPO7 | |
| Regulation of DNA metabolic process GO:0051052 | PPH3 | |
| Protein maturation GO:0051604 | HO | |

Table S9. (Continued).

| Interaction effect | Microaerated conditions | |
|--------------------------------------|---|---|
| | GO term GO ID | Genes annotated to the GO term |
| UP (WTPB-G vs. reference strain) | Protein complex biogenesis GO:0070271 | CAP1, FMP21, SEC16, SFB3, SLY1, YML030W |
| | Lipid metabolic process GO:0006629 | GPI17, MCD4, OLE1, SPO7, YLR118C |
| | Ion transport GO:0006811 | CCH1, MCD4, POR2, TPO2, VMA8 |
| | Golgi vesicle transport GO:0048193 | DOP1, SEC16, SFB3, SLY1 |
| | Mitochondrion organization GO:0007005 | FMP21, OLE1, YML030W, YNL100W |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | DFR1, URA10, YGR043C, YJR024C |
| | Transmembrane transport GO:0055085 | CCH1, POR2, TPO2, VMA8 |
| | Cell wall organization or biogenesis GO:0071554 | MCD4, RPI1, WSC4 |
| | Cellular amino acid metabolic process GO:0006520 | DFR1, YJR024C, YNL040W |
| | Regulation of transport GO:0051049 | CCH1, POR2, SLY1 |
| | Vesicle organization GO:0016050 | SEC16, SFB3, SLY1 |
| | Cofactor metabolic process GO:0051186 | DFR1, YGR043C, YJR024C |
| | Regulation of protein modification process GO:0031399 | PCL1, SPO7 |
| | Nucleobase-containing compound transport GO:0015931 | MCD4, POR2 |
| | Monocarboxylic acid metabolic process GO:0032787 | OLE1, YLR118C |
| | Cytoskeleton organization GO:0007010 | CAP1, PCL1 |
| | RNA splicing GO:0008380 | MUD2, YMR087W |
| | Regulation of organelle organization GO:0033043 | CAP1, SLY1 |
| | Signaling GO:0023052 | RCN1, RPI1 |
| | Cellular ion homeostasis GO:0006873 | NFU1, VMA8 |
| | Transcription from RNA polymerase II promoter GO:0006366 | RPI1, YOX1 |
| | Protein lipidation GO:0006497 | GPI17, MCD4 |
| | Nucleus organization GO:0006997 | SPO7 |
| | Proteolysis involved in cellular protein catabolic process GO:0051603 | OAZ1 |
| | Protein targeting GO:0006605 | WSC4 |
| | Protein phosphorylation GO:0006468 | PCL1 |
| | Organelle inheritance GO:0048308 | OLE1 |
| | Response to heat GO:0009408 | WSC4 |
| | Response to oxidative stress GO:0006979 | YGR043C |
| | RNA aminoacylation for protein translation GO:0006418 | YNL040W |
| | Regulation of cell cycle GO:0051726 | PCL1 |
| | Mitotic cell cycle GO:0000278 | YOX1 |
| | Translational elongation GO:0006414 | OAZ1 |
| | Membrane fusion GO:0061025 | SLY1 |
| | Organelle fusion GO:0048284 | SLY1 |
| | Carbohydrate metabolic process GO:0005975 | YGR043C |
| | Protein dephosphorylation GO:0006470 | SPO7 |
| | mRNA processing GO:0006397 | MUD2 |
| | Endosomal transport GO:0016197 | DOP1 |
| | Cell morphogenesis GO:0000902 | DOP1 |
| | Response to chemical GO:0042221 | YGR043C |
| Sporulation GO:0043934 | SPO7 | |
| Regulation of translation GO:0006417 | OAZ1 | |
| tRNA processing GO:0008033 | YMR087W | |
| Response to starvation GO:0042594 | PCL1 | |
| Exocytosis GO:0006887 | SLY1 | |

Table S9. (Continued).

| | | |
|------------------------------------|---|---------------------------|
| DOWN (WTPB-G vs. reference strain) | Carbohydrate metabolic process GO:0005975 | MDH1, MNN11, PFK27, SVP26 |
| | Generation of precursor metabolites and energy GO:0006091 | CYC7, MDH1, PFK27 |
| | rRNA processing GO:0006364 | BFR2, DIP2, RPS24B |
| | Monocarboxylic acid metabolic process GO:0032787 | ELO1, PDH1, PFK27 |
| | Carbohydrate transport GO:0008643 | HXT2, HXT3, MTH1 |
| | Ribosomal small subunit biogenesis GO:0042274 | BFR2, DIP2, RPS24B |
| | Transmembrane transport GO:0055085 | HXT2, HXT3, PEX12 |
| | Response to chemical GO:0042221 | NCE103, PPH3, YLR224W |
| | Protein complex biogenesis GO:0070271 | CBF2, DCP2, PET100 |
| | Proteolysis involved in cellular protein catabolic process GO:0051603 | DDI1, YLR224W |
| | Organelle fission GO:0048285 | PPH3, RCK1 |
| | Cytoplasmic translation GO:0002181 | RPL20B, RPS24B |
| | Organelle assembly GO:0070925 | CBF2, DCP2 |
| | Mitochondrion organization GO:0007005 | PET100, RSM27 |
| | Nucleobase-containing small molecule metabolic process GO:0055086 | CYC7, PFK27 |
| | Regulation of cell cycle GO:0051726 | PPH3, RCK1 |
| | DNA recombination GO:0006310 | HO, PPH3 |
| | Lipid metabolic process GO:0006629 | ELO1, PDH1 |
| | Protein glycosylation GO:0006486 | MNN11, SVP26 |
| | Regulation of organelle organization GO:0033043 | PPH3, RCK1 |
| | protein modification by small protein conjugation or removal GO:0070647 | PEX12, YLR224W |
| | Meiotic cell cycle GO:0051321 | PPH3, RCK1 |
| | Signaling GO:0023052 | MTH1, PPH3 |
| | Cellular respiration GO:0045333 | CYC7, MDH1 |
| | RNA catabolic process GO:0006401 | DCP2, HRP1 |
| | mRNA processing GO:0006397 | DCP2, HRP1 |
| | DNA-templated transcription, initiation GO:0006352 | DCP2 |
| | Golgi vesicle transport GO:0048193 | SVP26 |
| | Peroxisome organization GO:0007031 | PEX12 |
| | Protein targeting GO:0006605 | PEX12 |
| | Cell wall organization or biogenesis GO:0071554 | SVP26 |
| | Vitamin metabolic process GO:0006766 | RIB1 |
| | Protein phosphorylation GO:0006468 | RCK1 |
| | Response to oxidative stress GO:0006979 | NCE103 |
| | Cytoskeleton organization GO:0007010 | CBF2 |
| | Mitotic cell cycle GO:0000278 | CBF2 |
| | Chromosome segregation GO:0007059 | CBF2 |
| | Translational elongation GO:0006414 | RPS24B |
| | Mitochondrial translation GO:0032543 | RSM27 |
| | Protein dephosphorylation GO:0006470 | PPH3 |
| | Cellular response to DNA damage stimulus GO:0006974 | PPH3 |
| | Cofactor metabolic process GO:0051186 | PFK27 |
| | DNA repair GO:0006281 | PPH3 |
| | Regulation of DNA metabolic process GO:0051052 | PPH3 |
| | Transcription from RNA polymerase II promoter GO:0006366 | DCP2 |
| | Protein maturation GO:0051604 | HO |
| Conjugation GO:0000746 | YDL038C | |