

1-1-2006

## Macrofungi from Andırın (Kahramanmaraş) District

ABDULLAH KAYA

Follow this and additional works at: <https://journals.tubitak.gov.tr/botany>



Part of the [Botany Commons](#)

---

### Recommended Citation

KAYA, ABDULLAH (2006) "Macrofungi from Andırın (Kahramanmaraş) District," *Turkish Journal of Botany*. Vol. 30: No. 2, Article 3. Available at: <https://journals.tubitak.gov.tr/botany/vol30/iss2/3>

This Article is brought to you for free and open access by TÜBİTAK Academic Journals. It has been accepted for inclusion in Turkish Journal of Botany by an authorized editor of TÜBİTAK Academic Journals. For more information, please contact [academic.publications@tubitak.gov.tr](mailto:academic.publications@tubitak.gov.tr).

## Macrofungi from Andırın (Kahramanmaraş) District

Abdullah KAYA

Gaziantep University, Adıyaman Education Faculty, 02030 Adıyaman - TURKEY

Received: 28.03.2005

Accepted: 22.11.2005

**Abstract:** Macrofungi specimens were collected from Andırın (Kahramanmaraş) district in 1998-2003. As a result of field and laboratory studies, 131 taxa belonging to 35 families in *Ascomycetes* and *Basidiomycetes* were identified. Six of them, *Hemimycena pithya* (Fr.) Dörfelt, *Macrocyttidia cucumis* (Pers.) Joss., *Mycena maculata* P.Karst., *Tricholoma magnivelare* (Peck) Redhead (*Tricholomataceae*), *Entoloma lepidissimum* (Svrcek) Noordel. (*Entolomataceae*) and *Pluteus pouzarianus* Singer var. *albus* Bonnard (*Pluteaceae*), are new records for Turkey.

**Key Words:** Macrofungi, Andırın (Kahramanmaraş), Turkey

### Andırın (Kahramanmaraş) Yöresinde Belirlenen Makrofunguslar

**Özet:** Andırın (Kahramanmaraş) sınırları içinde 1998-2003 yıllarında makrofungus örnekleri toplandı. Arazi ve laboratuvar çalışmaları sonucunda, *Ascomycetes* ve *Basidiomycetes* sınıfları içinde yer alan 35 familyaya ait 131 takson belirlendi. Bunlardan 6 tanesi, *Hemimycena pithya* (Fr.) Dörfelt, *Macrocyttidia cucumis* (Pers.) Joss., *Mycena maculata* P.Karst., *Tricholoma magnivelare* (Peck) Redhead (*Tricholomataceae*), *Entoloma lepidissimum* (Svrcek) Noordel. (*Entolomataceae*) ve *Pluteus pouzarianus* Singer var. *albus* Bonnard (*Pluteaceae*), Türkiye için yeni kayıttır.

**Anahtar Sözcükler:** Makrofunguslar, Flora, Andırın (Kahramanmaraş), Türkiye

### Introduction

Andırın is a district of Kahramanmaraş in the eastern Mediterranean region of Anatolia and is located in C5 and C6 according to Davis's grid square system. It is surrounded by Göksun (Kahramanmaraş) to the north, Kahramanmaraş to the east and Kadirli (Osmaniye) to the south and west (Figure 1).

According to Emberger's formula (Akman, 1999), the climate of the research area is Mediterranean type. The annual average temperature is 13 °C and the annual rainfall is about 1520 mm. The research area falls mainly into the Mediterranean phytogeographical sector within the holoarctic floral kingdom. The main vegetation types are forest, anthropogenic steppes and maquis. Forest areas are characterised by species of *Abies* Miller, *Cedrus* Link., *Pinus* L., *Juniperus* L., *Quercus* L., *Pistacia* L., *Salix* L., *Populus* L., *Juglans* L., *Platanus* L., *Alnus* Miller, *Fagus* L. and *Cornus* L.

This study aimed to determine the macrofungal flora of the district and to contribute to the Turkish mycobiota.

### Materials and Methods

Macrofungi carpophores were collected in Andırın (Kahramanmaraş) district between 1998 and 2003. Relevant morphological and ecological characteristics of the specimens were recorded and colour slides or digital photographs of them were taken in their natural habitats. A Nikon F 601 and a Canon PowerShot G2 were used for the photography. Then the fruit bodies were taken to the laboratory and spore prints were obtained. After a microscopic investigation, they were identified using the following literature: Phillips (1981), Moser (1983), Miller & Miller (1988), Breitenbach & Kränzlin (1984-2000), Ellis & Ellis (1990), Candusso & Lanzoni (1990), Buczacki (1992), Jordan (1995), Pegler et al. (1995), Bessette et al. (1997), Cappelli (1997) and Antonin & Noordeloos (1997).

The specimens are kept in Gaziantep University, Adıyaman Education Faculty.




Figure 1. Macrofungi collecting sites.

## Results

### ASCOMYCETES

#### Helvellaceae

##### *Helvella lacunosa* Afzel.

Yeşilova, around water channel, 200 m, 11.03.2000, K. 977; Efirağızlı village, 650 m, 01.05.2000, K.1024; Akifiye, pine forest, 1200 m, 18.05.2002, K. 1742.

##### *H. leucopus* Pers.

Yeşilova, around water channel, 200 m, 11.03.2000, K. 978; Efirağızlı village, 650 m, 01.05.2000, K. 1022; Akifiye, in mixed forest, 1200 m, 18.05.2002, K. 1741.

##### *Paxina acetabulum* (L.) Kuntze

Kuzgun village, in pine forest, 350 m, 27.03.1999, K. 827; Beşbucak village, 250 m, 12.03.2000, K. 985; Sumaklı village, 200 m, 09.03.2001, K. 1207; Kurucaova, in pine forest, 1050 m, 18.05.2002, K. 1726.

##### *P. leucomelas* (Pers.) Kuntze

Altınoluk village, in pine forest, 500 m, 05.04.1999, K. 849; Kuzgun village, 350 m, 10.03.2001, K. 1219.

#### Humariaceae

##### *Sepultaria arenosa* (Fuckel) Boud.

Erenler village, in mixed forest, 200 m, 04.02.1999, K. 790.

*S. sumneriana* (Cooke) Masee

Kurucaova, under *Cedrus* sp., 1050 m, 05.04.1999, K. 843. Çokak village, in pine forest, 1200 m, 18.05.2002, K. 1758.

#### Morchellaceae

*Morchella conica* Pers.

Sumaklı village, in pine forest, 250 m, 09.03.2001, K. 1211.

*M. elata* Fr.

Yeşilova village, timber deposit area, 200 m, 26.03.1999, K. 805; Kumarlı village, in pine forest, 250 m, 11.03.2000, K. 970.

*M. esculenta* (L.) Pers.

Yeşilova village, timber deposit area, 200 m, 26.03.1999, K. 806; Kesim village, in mixed forest, 250 m, 30.04.2000, K. 1016.

*M. rotunda* (Fr.) Boud.

Efirağızlı village, in pine forest, 600 m, 07.04.1999, K. 866.

*Verpa conica* (O.F.Müll.) Sw.

Çokak village, in mixed forest, 1200 m, 18.05.2002, K. 1759.

#### Pezizaceae

*Sarcosphaera crassa* (Santi) Pouzar

Efirağızlı village, in pine forest, 600 m, 07.04.1999, K. 864; Kumarlı village, 250 m, 11.03.2000, K. 969; Kuzgun village, 350 m, 10.03.2001, K. 1215.

#### Sphaeriaceae

*Xylaria carpophila* (Pers.) Fr.

Hacıveliüşağı village, in mixed forest, 350 m, 31.12.1998, K. 757.

#### BASIDIOMYCETES

##### Auriculariaceae

*Auricularia auricula-judae* (Fr.) Quéf.

Kurucaova, timber deposit area, on dead *Quercus* stump, 1050 m, 18.05.2002, K. 1718.

*A. mesenterica* (Dicks.) Fr.

Kuzgun village, in pine forest, 300 m, 27.03.1999, K. 825.

#### Tremellaceae

*Exidia truncata* Fr.

Kumarlı village, on fallen *Quercus* trunk, 250 m, 03.02.1999, K. 778.

*Tremella mesenterica* Retz.

Geben village, on *Juniperus* sp., 1350 m, 19.05.2002, K. 1776.

#### Thelephoraceae

*Hydnellum caeruleum* (Hornem.) P.Karst.

Kuzgun village, Muratlı valley, in pine forest, 350 m, 10.03.2001, K. 1222.

*Sarcodon imbricatus* (L.) P.Karst.

Çuhadar village, in pine forest, 700 m, 23.10.1999, K. 945.

#### Polyporaceae

*Antrodia serialis* (Fr.) Donk

Altınyayla village, Halbur, on dead conifer wood, 1400 m, 20.05.2002, K. 1803.

*Cerrena unicolor* (Bull.) Murrill

Beşbucak village, on *Salix* sp., 250 m, 27.03.1999, K. 811.

*Funalia trogii* (Berk.) Bondartsev & Singer

Azğıtkale, on *Populus* stump, 800 m, 05.04.1999, K. 855; Köleli village, 200 m, 09.03.2001, K. 1198.

*Trametes hirsuta* (Wulfen) Pilát

Köleli village, on dead twigs, 200 m, 09.03.2001, K. 1202.

*T. pubescens* (Schumach.) Pilát

Bektaşlı village, on *Populus* stump, 200 m, 02.01.1999, K. 768.

*T. versicolor* (L.) Lloyd

Beşbucak village, on decaying wood, 250 m, 27.03.1999, K. 814; Kuzgun village, 350 m, 27.03.1999, K. 823; Geben village, 1350 m, 19.05.2002, K. 1777.

*Trichaptum abietinum* (Dicks.) Ryvarden

Yeşilova town, timber deposit area, on dead pine stump, 200 m, 26.03.1999, K. 808.

**Fomes fomentarius** (L.: Fr.) Fr.

Erenler village, on *Salix* stump, 200 m, 04.02.1999, K. 786.

**Gloeophyllum abietinum** (Bull.) P.Karst.

Kumarlı village, on fallen conifer trunk, 250 m, 03.02.1999, K. 777.

**Polyporus arcularius** (Batsch) Fr.

Beşbucak village, in pine forest, on dead twigs, 250 m, 12.03.2000, K. 984.

**P. badius** (Pers.) Schwein.

Kızık village, in pine forest, 250 m, 01.11.2000, K. 1056.

**P. squamosus** (Huds.) Fr.

Erenler village, on *Salix* stump, 200 m, 04.02.1999, K. 791; Altınoluk village, on *Salix* stump, 500 m, 24.10.1999, K. 958.

**P. elegans** Bull.

Çiğsar village, on dead twigs, 1250 m, 29.10.2002, K. 1906.

**Schizophyllaceae**

**Schizophyllum commune** Fr.

Yeşilova, on *Pinus* stump, 200 m, 26.03.1999, K. 807; Kumarlı village, 250 m, 11.03.2000, K. 971; Köleli village, 200 m, 09.03.2001, K. 1195.

**Ganodermataceae**

**Ganoderma applanatum** (Pers.) Pat.

Beşbucak village, on *Quercus* sp., 250 m, 31.10.2000, K. 1050.

**G. lucidum** (Curtis) P.Karst.

Altınyayla village, Halbur, in pine forest, 1400 m, 19.05.2002, K. 1805.

**Clavariaceae**

**Clavariadelphus truncatus** (Quél.) Donk

Altınyayla village, in mixed forest, 1400 m, 26.10.2003, K. 2361.

**Nidulariaceae**

**Cyathus olla** (Batsch) Pers.

Kumarlı village, on *Eleagnus* stump, 250 m, 08.04.1999, K. 869; Akifiye village, in pine forest, 1200 m, 18.05.2002, K. 1750.

**Geastraceae**

**Geastrum pectinatum** Pers.

Kurucaova, in pine forest, 1000 m, 18.05.2002, K. 1727.

**G. quadrifidum** DC.

Kumarlı village, in pine forest, 250 m, 08.04.1999, K. 868.

**G. sessile** (Sowerby) Pouzar

Orhaniye village, in mixed forest, 1150 m, 02.11.2000, K. 1059.

**G. vulgatum** Vittad.

Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2383.

**Astraeaceae**

**Astraeus hygrometricus** (Pers.) Morgan

Sarıbıyıklı village, in mixed forest, 350 m, 31.12.1998, K. 748.

**Sclerodermataceae**

**Scleroderma verrucosum** (Bull.) Pers.

Haciveliuşağı village, around *Quercus* sp., 350 m, 31.12.1998, K. 752; Çokak village, in mixed forest, 1200 m, 29.10.2002, K. 1912.

**Pisolithus arhizus** (Pers.) Rauschert

Sarıbıyıklı village, in mixed forest, 350 m, 31.12.1998, K. 750; Kızık village, in pine forest, 08.11.2000, K. 1053.

**Lycoperdaceae**

**Bovista plumbea** Pers.

Kesim village, in meadow, 200 m, 26.03.1999, K. 800; Çokak village, 1200 m, 18.05.2002, K. 1721; Geben, 1350 m, 19.05.2002, K. 1773.

**Lycoperdon mammaeforme** Pers.: Pers.

Bektaşlı village, in mixed forest, 200 m, 02.01.1999, K. 766.

**L. perlatum** Pers.

Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2384.

**L. foetidum** Bonord.

Çokak village, in mixed forest, 1200 m, 29.10.2002, K. 1913.

**Tulostomataceae****Tulostoma brumale** Pers.

Geben village, forest edge, among grass on sandy soil, 1350 m, 19.05.2002, K. 1772.

**Rhizopogonaceae****Rhizopogon luteolus** Fr.

Kızık village, 250 m, 03.03.2001, K. 1172; Köleli village, 200 m, 09.03.2001, K. 1201; Sumaklı village, 200 m, 09.03.2001, K. 1210.

**Boletaceae****Suillus luteus** (L.) Gray

Çokak village, in pine forest, 1200 m, 01.11.1998, K. 738; Kuzgun village, in pine forest, 350 m, 27.03.1999, K. 819; Kurucaova, 1050 m, 18.05.2002, K. 1720.

**Xerocomus chrysenteron** (Bull.) Quéf.

Başdoğan village, around *Quercus* sp. 450 m, 25.10.1999, K. 961.

**X. subtomentosus** (L.) Fr.

Altınyayla village, in mixed forest, 1400 m, 26.10.2003, K. 2354.

**Paxillaceae****Omphalotus olearius** (DC.) Singer

Sarıbıyıklı village, on *Olea* sp., 350 m, 31.12.1998, K. 747.

**Paxillus involutus** (Batsch) Fr.

Kumarlı village, 250 m, 08.04.1999, K. 870; Akçakoyunlu, 02.05.2000, K. 1028.

**Tapinella panuoides** (Batsch) E.-J.Gilbert

Kuzgun village, in pine forest, 350 m, 27.03.1999, K. 828.

**Gomphidiaceae****Chroogomphus rutilus** (Schaeff.) O.K.Mill.

Sumaklı village, in pine forest, 250 m, 09.03.2001, K. 1205.

**Gomphidius gracilis** Berk.

Altınyayla village, in pine forest, 1400 m, 26.10.2003, K. 2365.

**G. maculatus** (Scop.) Fr.

Kuzgun village, in pine forest, 350 m, 27.03.1999, K. 818; Altınyayla village, in mixed forest, 1400 m, 26.10.2003, K. 2363.

**Tricholomataceae****Calocybe gambosa** (Fr.) Singer

Kurucaova, in meadow, 1000 m, 18.05.2002, K. 1722.

**Clitocybe gibba** (Pers.) P.Kumm.

Kuzgun village, in pine forest, 350 m, 27.03.1999, K. 817.

**Collybia dryophila** (Bull.) P.Kumm.

Akifiye village, in pine forest, 1200 m, 18.05.2002, K. 1736.

**C. luteifolia** Gillet

Kesim village, in pine forest, 200 m, 18.05.2002, K. 1725.

**Hemimycena pithya** (Fr.) Dörfelt

Çokak village, in pine forest, 1200 m, 18.05.2002, K. 1732.

**Lepista nuda** (Bull.) Cooke

Kuzgun village, in pine forest, 350 m, 27.03.1999, K. 822; Altınoluk, 500 m, 02.03.2001, K. 1169; Çokak, 1200 m, 18.05.2002, K. 1730; Geben, 1350 m, 19.05.2002, K. 1785.

**L. personata** (Fr.) Cooke

Beşbucak village, in pine forest, 250 m, 31.10.2000, K. 1048.

**Macrocystidia cucumis** (Pers.) Joss.

Altınyayla village, Halbur, in pine forest, 1400 m, 19.05.2002, K. 1797.

**Marasmius oreades** (Bolton) Fr.

Bektaşlı village, meadow, 200 m, 02.01.1999, K. 769; Kurucaova, 1050 m, 18.05.2002, K. 1715.

**Melanoleuca excissa** (Fr.) Singer

Akifiye village, in meadow, 1200 m, 18.05.2002, K. 1751; Altınyayla village, Halbur, in grass at forest edge, 1400 m, 19.05.2002, K. 1811.

**Mycena crocata** (Schrad.) Fr.

Çiğsar village, in mixed forest, 1250 m, 29.10.2002, K. 1905.

- M. haematopus** (Pers.) P.Kumm.  
Altınyayla village, Halbur, in pine forest, 1400 m, 19.05.2002, K. 1798.
- M. leptcephala** (Pers.) Gillet  
Altınyayla village, Halbur, in pine forest, 1400 m, 19.05.2002, K. 1808.
- M. maculata** P.Karst.  
Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2375.
- M. pura** (Pers.) P.Kumm.  
Geben village, in pine forest, 1350 m, 19.05.2002, K. 1786.
- Omphalina oniscus** (Fr.) Quéf.  
Geben village, in pine forest, 1350 m, 19.05.2002, K. 1790.
- Tricholoma atosquamosum** (Chevall.) Sacc.  
Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2385.
- T. fracticum** (Britzelm.) Kreisel  
Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2370.
- T. luridum** (Schaeff.) P.Kumm.  
Altınyayla village, in mixed forest, 1400 m, 26.10.2003, K. 2353.
- T. magnivelare** (Peck) Redhead  
Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2358.
- T. scioides** (Sécr.) Martin  
Altınyayla village, Halbur, in mixed forest, 1400 m, 26.10.2003, K. 2381.
- Xerula melanotricha** Dörfelt  
Altınyayla village, in mixed forest, 1400 m, 26.03.2003, K. 2357.
- Xeromphalina campanella** (Batsch) Maire  
Altınyayla village, Halbur, on conifer stump, 1400 m, 19.05.2002, K. 1800.
- Pleurotaceae**  
**Lentinus tigrinus** (Bull.) Fr.  
Geben village, 1350 m, 28.10.1998, K. 720;  
Boğazören, 06.04.1999, K. 857; Yeşilova, on *Populus* stump, 200 m, 11.03.2000, K. 976; Akifiye, 1200 m, 18.05.2002, K. 1757.
- L. strigosus** (Schwein.) Fr.  
Kurucaova, on *Quercus* stump, 1050 m, 18.05.2002, K. 1716.
- Pleurotus ostreatus** (Jacq.) P.Kumm.  
Haciveliuşağı village, on *Populus* stump, 350 m, 31.12.1998, K. 753; Erenler village, 200 m, 04.02.1999, K. 788; Akifiye village, Parmaksız, 1200 m, 18.05.2002, K. 1753.
- Entolomataceae**  
**Entoloma lepidissimum** (Svrcek) Noordel.  
Altınoluk village, in mixed forest, 500 m, 05.04.1999, K. 845.
- Pluteaceae**  
**Pluteus cervinus** P.Kumm.  
Kesim village, around *Quercus* sp., 200 m, 26.03.1999, K. 795; Başdoğan village, 450 m, 25.10.1999, K. 963.
- P. pouzarianus** Singer var. **albus** Bonnard  
Altınyayla village, Halbur, on conifer remains, 1400 m, 26.10.2003, K. 2374.
- P. romelli** (Britzelm.) Lapl.  
Akifiye village, on *Populus* stump, 1200 m, 18.05.2002, K. 1756.
- Volvariella gloiocephala** (DC.) Boekhout & Enderle  
Altınyayla village, forest edge, 1400 m, 28.10.1998, K. 724; Yeşilova village, meadow, 200 m, 11.03.2000, K. 979.
- Amanitaceae**  
**Amanita pantherina** (DC.) Krombh.  
Köklü village, in mixed forest, 450 m, 23.10.1999, K. 948.
- A. nivalis** Grev.  
Kurucaova, in meadow near *Salix* sp., 1000 m, 18.05.2002, K. 1724.
- A. vaginata** (Bull.) Vittad.  
Çokak village, in mixed forest, 1200 m, 01.11.1998, K. 734, Kızık village, 250 m, 25.11.2000, K. 1062.



**Limacella glioderma** (Fr.) Maire

Kızık village, in conifer forest, 250 m, 01.11.2000, K. 1058.

**Agaricaceae****Agaricus campestris** L.

Kesim village, in pasture, 200 m, 26.03.1999, K. 802; Gökçeli village, 1100 m, 24.10.1999, K. 952; Kurucaova, 1000 m, 18.05.2002, K. 1723; Geben, 1350 m, 19.05.2002, K. 1793.

**A. xanthoderma** Genev. var **lepiotoides** Maire

Sarıbıyıklı village, in mixed forest, 350 m, 31.12.1998, K. 744; Kabağağ village, in mixed forest, 01.01.1999, K. 763.

**Lepiotaceae****Lepiota cristata** (Bolton) P.Kumm.

Altınyayla village, Halbur, in coniferous forest, 1400 m, 26.10.2003, K. 2386.

**Macrolepiota excoriata** (Schaeff.) M.M.Moser

Gökgedik village, forest edge, 1250 m, 29.10.1998, K. 726.

**M. procera** (Scop.) Singer

Çuhadar village, in mixed forest, 700 m, 23.10.1999, K. 942.

**M. olivascens** M.M.Moser

Gökçeli village, in pine forest, 1200 m, 24.10.1999, K. 953.

**Coprinaceae****Coprinus atramentarius** (Bull.) Fr.

Gökçeli village, in meadow, 1200 m, 29.10.1998, K. 729; Kesim village, 200 m, 26.03.1999, K. 803; Akifiye, 1200 m, 18.05.2002, K. 1755.

**C. comatus** (O.F.Müll.) Gray

Erenler village, pasture, 200 m, 04.02.1999, K. 787; Çuhadar village, 700 m, 23.10.1999, K. 944.

**C. disseminatus** (Pers.) Gray

Camuzluk village, around waterway, 400 m, 06.04.1999, K. 861; Kuzgun village, in mixed forest, 350 m, 09.03.2001, K. 1226.

**C. micaceus** (Bull.) Fr.

Gökçeli village, on *Populus* sp., 1050 m, 29.10.1998,

K. 730; Beşbucak village, 250 m, 27.03.1999, K. 812; Camuzluk village, 400 m, 06.04.1999, K. 859.

**C. niveus** (Pers.) Fr.

Kesim village, on cow dung, 200 m, 25.03.1999, K. 796; Çokak, 1200 m, 18.05.2002, K. 1760.

**C. picaceus** (Bull.) Gray.

Sarıbıyıklı village, under *Quercus* sp., 350 m, 02.03.2001, K. 1168.

**C. plicatilis** (Curtis) Fr..

Geben village, in grass, 1350 m, 19.05.2002, K. 1794.

**Psathyrella candolleana** (Fr.) Maire

Yeşilova village, in garden, on dead wood, 200 m, 11.03.2000, K. 975.

**Panaeolus campanulatus** (L.) Quéf.

Kurucaova, in grass, 1050 m, 18.05.2002, K. 1767.

**Bolbitiaceae****Agrocybe cylindracea** (DC.) Gillet

Geben village, on *Populus* sp., 1350 m, 28.10.1998, K. 722; Kesim village, 200 m, 31.12.1998, K. 745.

**A. dura** (Bolton) Singer

Erenler village, in meadow, 200 m, 04.02.1999, K. 783.

**Bolbitius vitellinus** (Pers.) Fr.

Kurucaova, on wood remains, 1050 m, 18.05.2002, K. 1722.

**Conocybe lactea** (J.E.Lange) Métrod

Köleli village, in pasture, 200 m, 09.03.2001, K. 1194,

**Strophariaceae****Hypholoma fasciculare** (Huds.) Quéf.

Efirağızlı village, on dead branches, 600 m, 01.05.2000, K. 1021.

**Pholiota limonella** (Peck.) Sacc.

Altınyayla village, Halbur, on dead conifer stump, 1400 m, 19.05.2002, K. 1804.

**P. lubrica** (Pers.) Singer

Kuzgun village, Muratlı, in pine forest, 300 m, 10.03.2001, K. 1218.



**P. squarrosa** (Weigel) P.Kumm.

Başdoğan village, on the base of *Quercus* sp., 450 m, 25.10.1999, K. 965.

**Stropharia coronilla** (Bull.) Fr.

Erenler village, 200 m, 04.02.1999, K. 789; Camuzluk village, 400 m, 06.04.1999, K. 860.

**S. semiglobata** (Batsch) Quéf.

Akifiye village, in pine forest, 1200 m, 18.05.2002, K. 1748.

**Tubaria conspersa** (Pers.) Fayod

Akifiye village, in pine forest, 1200 m, 18.05.2002, K. 1734.

**Crepidotaceae**

**Crepidotus lundelli** Pilát

Başdoğan village, on *Quercus* stump, 450 m, 25.10.1999, K. 966.

**Russulaceae**

**Lactarius deliciosus** (L.) Gray

Çokak village, in pine forest, 1200 m, 01.11.1998, K. 736.

**L. salmonicolor** R.Heim & Leclair

Kabaklar village, in pine forest, 23.10.1999, K. 946; Altınyayla village, in mixed forest, 1400 m, 26.10.2003, K. 2359.

**Russula sardonias** Fr.

Orhaniye village, in mixed forest, 1150 m, 02.11.2000, K. 1060.

**R. turci** Bres.

Orhaniye village, in mixed forest, 1150 m, 02.11.2000, K. 1062.

**Cortinariaceae**

**Hebeloma sinapizans** (Fr.) Sacc.

Altınoluk village, in mixed forest, 500 m, 24.10.1999, K. 957.

**H. crustuliniforme** (Bull.) Quéf.

Çiğsar village, in mixed forest, 1250 m, 29.10.2002, K. 1910.

**Inocybe cookei** Bres.

Altınyayla village, Halbur, in pine forest, 1400 m, 19.05.2002, K. 1809.

**I. fastigiata** (Schaeff.) Quéf.

Çokak village, in pine forest, 1200 m, 01.11.1998, K. 735.

**I. geophylla** (Sowerby) P.Kumm. var. **geophylla** (Sowerby) P.Kumm.

Geben village, in pine forest, 1350 m, 19.05.2002, K. 1787.

**I. geophylla** (Sowerby) P.Kumm. var. **lilacina** Gillet

Altınyayla village, in mixed forest, 1400 m, 26.10.2003, K. 2355.

**Discussion**

In this study, 131 macrofungi taxa, in 35 families and 77 genera, were identified. Thirteen of them belong to *Ascomycetes* and 118 to *Basidiomycetes*. When compared, the macrofungi of Andırın were found to have similarities with the findings of studies carried out in neighbouring regions (Işıloğlu and Öder, 1995; Işıloğlu, 1997; Öztürk et al., 2003; Kaya et al., 2004; Kaya, 2005). This may be because of the similarity between the habitats.

Forty-nine of the 131 taxa are edible, but only *Agaricus campestris*, *Pleurotus ostreatus*, *Bovista plumbea* and *Tricholoma magnivelare*, were found to be eaten by local people. It was also found that the fruit bodies of *T. magnivelare* were collected and sold by some villagers.

Fourteen percent % (18 species) of the taxa are poisonous and 49% (64 species) are inedible but none of them are known by the local people. No poisoning incidents were recorded from the area.

## References

- Akman Y (1999). İklim ve Biyoiklim. Ankara: Kariyer Matbacılık Ltd.
- Antonin V & Noordeloos ME (1997). A Monograph of Marasmius, Collybia and Related Genera in Europe. München: IHW- Verlag.
- Bessette AE, Bessette AR & Fischer WD (1997). Mushrooms of Northeastern North America. Hong Kong: Syracuse University Press.
- Breitenbach J & Kränzlin F (1984-2000). Fungi of Switzerland, vols. 1-5. Lucerne: Verlag Mykologia.
- Buczacki S (1992). Mushrooms and Toadstools of Britain and Europe. London: W Collins Sons & Co Ltd.
- Candusso M & Lanzoni G (1990). Saronno: Lepiota. Libreria editrice Biella Giovanna.
- Cappelli A (1997) The Genus Agaricus. Saronno: Libreria editrice Biella Giovanna.
- Ellis MB & Ellis JB (1990). Fungi without Gills (Hymenomycetes and Gasteromycetes). London: Chapman and Hall.
- Işiloğlu M Öder N (1995) Malatya Yöresinin Makrofungusları. Turk J Bot 19: 321-324.
- Işiloğlu M (1997) Macrofungi of Sarçiçek Yaylası (Malatya). Turk J Bot 21: 63-65.
- Jordan M (1995). The Encyclopedia of Fungi of Britain and Europe. Devon: David & Charles Book Co.
- Kaya A, Akan Z & Demirel K (2004) A Checklist of Macrofungi of Besni (Adiyaman) District. Turk J Bot 28: 247-251.
- Kaya A (2005) Macrofungi Determined in Gölbaşı (Adiyaman) District. Turk J Bot 29: 45-50.
- Miller OK & Miller HH (1988). Gasteromycetes. Eureka: Mad River Press, Inc.
- Moser M (1983). Keys to Agarics and Boleti. Stuttgart: Gustav Fischer.
- Öztürk C, Kaşık G, Doğan HH & Aktaş S (2003). Macrofungi of Alanya District. Turk J Bot 27: 303-312.
- Pegler DN, Laessle T & Spooner BM (1995). British Puffballs, Earthstars and Stinkhorns. Kew: Royal Botanic Garden.
- Phillips R (1981). Mushrooms and Other Fungi of Great Britain & Europe. London: Pan Books.